

Panasonic

# Panasonic

General Catalog Electrical Construction Materials 2021-2023

كتالوج عام مواد البناء الكهربائية

كتالوج عام  
General Catalog

مواد البناء الكهربائية

## Electrical Construction Materials

### 2021-2023

2021.02

Manufactured by  
Panasonic Manufacturing Ayuthaya Co., Ltd.  
Panasonic Life Solutions SPT (Thailand) Co., Ltd.  
Panasonic Manufacturing (Beijing) Co., Ltd.  
Panasonic Life Solutions India Pvt.Ltd.  
Panasonic Life Solutions Turkey  
Panasonic Corporation Life Solutions Company  
Energy System Business Division, Power Components Business Unit

## Panasonic®

Panasonic Life Solutions Middle East & Africa  
Division of Panasonic Marketing Middle East & Africa FZE  
P.O Box 17985, Dubai, U.A.E Tel:+971 8007262 | customercare@ae.panasonic.com | www.panasonic.com



All Rights Reserved © 2021 COPYRIGHT Panasonic Marketing Middle East & Africa FZE Life Solutions Division

■ MEECM1 02/2021-4YJ

# Empower Your Moments

We believe that subtle moments add up to make a real difference to your life.

Thus we sincerely focus on human behavior and pursue the details to create beauty and harmony in your daily lives.


We are always on your side, The Moments, The Day, The Life.

Attending to your comfort and brightening your days and nights, switching on your world and energizing your life.




# Panasonic

Panasonic provides various products such as home appliance devices, Audio and Visual products and electrical equipment to meet the needs of each individual customer while providing better living for people around the world.



## Life Solutions Company

Lighting and wiring devices, electrical equipment, housing and construction materials, equipment for improving air quality, nursing care business, etc.



## Appliances Company

Home appliances (digital audio and visual equipment, white goods, health and beauty), air conditioning, cold chain, etc.




## Connected Solutions Company


Solutions focusing on video, audio, mobility, and production equipment.




## Automotive & Industrial Systems Company

Automotive equipment, primary and rechargeable batteries, devices, electronic materials, motors, etc.



 The Zayed Future Energy Award has four major criteria (Impact, Innovation, Leadership, Long-Term Vision) and it will be given to individuals, organizations and schools who have made significant contributions to renewable energy and sustainability. In 2015 we won the award in the Large Corporation Category for our sustainable business practices.



Panasonic — promoting high Japanese quality standards that embody advanced safe design technology.

Panasonic's cutting edge products are the results of a continuous technical development process that stresses Security, Safety and Comfort. This is seen in the development of our switches and outlets incorporating outstanding safety measures to better protect homes from various electrical hazards.

تحسين موثوقية الاتصال من خلال تصميمنا باستخدام تقنية خاصة

### Improved contact reliability through our design using proprietary technology.

#### 1 البرغي Pillar Terminal II (WIDE Series)



Flexible wire (class 5) also applicable



#### 2 تعليمات تركيب الاسلاك Wiring Instructions

Only Rigid Copper Conductor type is applicable. (Flexible wire applicable only for Pillar Terminal II) For the details, please refer to the remarks at the bottom of each page.

الاسلاك المتناسبة  
Applicable Wire

Flexible		Rigid	
OK	OK	OK	OK
	Stranded		Solid

1.5 mm<sup>2</sup> - 4.0 mm<sup>2</sup>  
(15 AWG - 12 AWG)

#### 3 طريقة انعكاس الفائف Coil Spring Reversal Method

Panasonic's proprietary coil spring reversal method causes the pressure applied on the connector to be stable, ensuring low heat stability. By keeping the bound low, the arc energy is efficiently minimized.

- Since the wear is low, the contacts do not fuse easily, making them long lasting.
- Our products have cleared ON-OFF testing of 40,000 operations required by IEC.


مقارنة أداء الارتداد

#### [ Comparison of Bounce Performance ]

The coil spring system which is used in the FULL-COLOR WIDE SERIES produces low arc energy which makes it most suitable for CFL, inverter lighting, and LED lighting.

نظام الفائف

#### ■ Coil Spring System



Since the bound time of the contact is short when it is switched "ON", low arc energy is produced.

The contact does not fuse easily, therefore its consumption is low.

نوع التارجح في نظام المفاتيح

#### ■ Seesaw Type of Switching System



Since the bound time of the contact is long, a considerable amount of arc energy is produced.

The contact fuses easily, creating high consumption.

تحسين السلامة على أساس مواد ممتازة مقاومة للحرارة  
Safety improvement based on excellent heat resistance materials.

#### Urea Resin مادة اليوريا زرايين

The use of urea resin which is safer and more secure has led to improved fire resistance. It also has excellent tracking resistance which prevents electric shocks.

- With its fire and shock proof materials, the casing will hardly fuse even if installed incorrectly.
- Resistant to fire that could potentially come out from the socket's core components. Urea is also well known to safely respond to extreme heat conditions.
- Highly insulated material improving shock proof reduction.

حماية من الصدمات الكهربائية

#### Protection against Electric Shock

Enclosure Material Characteristics (reference)

	Urea	PBT	Polycarbonate
Tracking Performance	Excellent	Good	Poor
Heat Deformation	Good	Good	Fair
Self-Extinguishment	Good	Good	Good

Panasonic — implementing international standards in product safety design to guarantee the well-being of all customers.

Offering switches, outlets and related products that are easy to install as well as being easy to use for consumers is important to Panasonic. Safety standards and guidelines all over the world are addressed and complied with. Product designs emphasize installation ease which in turn promotes uniform installation quality everywhere in the world.

تصميم امان مطابق لمقاييس IEC

### Safety design complying to IEC standards

Panasonic's switches conform to the IEC60669-1 standard (16AX250V-). Socket Outlets conform to the IEC60884-1 standard. All devices guarantee protection against electric shock and are designed for endurance, service longevity and safety.

#### مفاتيح كهربائية Switches

- Designed for long service life (compliant with IEC standard) with 40,000 testing operations at 16AX 250V~ full rating.
- Heat-resistant, highly conductive material used for the terminal plate reduces temperature that increases in the terminal section.




#### Terminal Section Temperature Rise

IEC60669-1 standard value		Conditions
Initial	45K max.	20A current
Use as 40,000 testing operations		16A current

مقاييس

#### Socket Outlets

- Wide socket outlet secures insulation distance between contact and external metal parts improving safety.
- Long-life design, capable of 15,000 times at 13A 250V ~ full rating.
- Heat-resistant, highly conductive material is used for the socket contact and terminal point to reduce temperature increase.



#### Terminal Section Temperature Rise

BS1363-2 Standard Value		Conditions
Initial	52K max.	20A current
After 15,000 times		13A current

#### Withdrawal Forces

BS1363-2 Standard Value		
After 15,000 times	3 pins	36N max.
	Single pin	2.2N min.

#### Insulation Resistance


BS1363-2 Standard Value	
Initial	5MΩ min.
After 15,000 times	

#### Electric Strength

BS1363-2 Standard Value	
Initial	2,000V 1 min.
After 15,000 times	2,000V 1 min.

# index فهرس

FLATIMA SERIES  
BS-TYPE



P8

FULL-COLOR WIDE SERIES  
REFINA BS-TYPE



P14

FULL-COLOR WIDE SERIES  
BS-TYPE



P26

FLOOR OUTLET  
SERIES



P82

PASSIVE INFRARED  
SENSOR



P84

TECHNICAL  
DETAILS

P86

FULL-COLOR SERIES  
BS-TYPE



P34

SIMPLUS BS-TYPE



P42

HARMONY BS-TYPE



P50

MCB(10kA)



P142

MCCB(100AF,250AF)



P146

ISOLATOR



P148

FULL-COLOR WIDE SERIES  
FOR HOTEL



P58

FULL-COLOR WIDE SERIES  
REFINA A-TYPE



P60

FULL-COLOR WIDE SERIES  
A-TYPE




P66

RCCB



P150

WHITE CONDUIT PIPE (UL,BS) /  
STAINLESS STEEL CONDUIT PIPE



P152

PRODUCT  
NUMBER INDEX

P164

FULL-COLOR SERIES  
A-TYPE



P72

WEATHER PROOF COVER /  
DOOR CHIME



P80

MULTI GANG PLATE



P81

تتميز سلسلة مفاتيح باناسونيك المتطورة بلوحة خاصة للقوة والمظهر الراقي الذي يضيف لمسة من الأناقة إلى الحياة اليومية.

High-end Panasonic switch series featuring special panel for strength and a refined appearance that adds a touch of elegance to everyday life.



**FLATIMA** BS-TYPE  
SERIES

سطح متطور بتصميم فائق النحافة.

## SOPHISTICATED SURFACE WITH A SUPER-SLIM DESIGN


Ideal asymmetric design using 2mm-thick, high-quality aluminum plate.



أحدث آلية تبديل مقاومة للحرارة وسهلة الاستخدام

## HEAT-RESISTANT, EASY-TO-USE LATEST SWITCH MECHANISM

On/Off with just a soft push of the switch.  
Built for trouble-free operation.



تضمن ميزات الموثوقية العالية السلامة

## HIGH RELIABILITY FEATURES ENSURE SAFETY

Complies with requirements of the Saudi Arabian Standards Organization (SASO)



FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

New  
**漆** Urushi  
 — The Japanese Lacquer —




The brilliant technical fusion of Panasonic's century old history in wiring devices with "Aizu Nuri" by URUSHI (Japanese Lacquer) that originated 400 years back. Hand painted URUSHI is not only beautiful but also good for waterproofing and preservation from decay.

New  
**木** / **革**  
 Wood / Leather




Japan's latest ink-jet printing technology for natural texture and comfortable touch. Perfect to match with a wide variety of interior design styles.

Model No[Plate] \*Special order : Made by your request from Japan  
 Plate for Switch, Accessories: WTFB6503□-1 / 1G Socket: WTFB6101□-1 / 2G Socket: WTFB6102□-1



Model No[Plate] \*Special order : Made by your request from Japan  
 Plate for Switch, Accessories: WTFB6503□-1 / 1G Socket: WTFB6101□-1 / 2G Socket: WTFB6102□-1



## FLATIMA SERIES BS-TYPE

### مفاتيح كهربائية Switches

<b>WTFBP51512□-1</b> 1-Gang 2Way Switch 16AX SP Quick Connect Terminal	<b>WTFBP52522□-1</b> 1-Gang 2-Devices 2Way Switch 16AX SP Quick Connect Terminal	<b>WTFBP53532□-1</b> 1-Gang 3-Devices 2Way Switch 16AX SP Quick Connect Terminal	<b>WTFBP5004□-1</b> 1-Gang Intermediate Switch 10AX Quick Connect Terminal
--	--	--	--

<b>WTFBP51559□-1</b> <b>NEW</b> 1-Gang 2Way Illuminated Switch 16AX SP Quick Connect Terminal	<b>WTFBP52569□-1</b> <b>NEW</b> 1-Gang 2-Devices 2Way Illuminated Switch 16AX SP Quick Connect Terminal	<b>WTFBP53579□-1</b> <b>NEW</b> 1-Gang 3-Devices 2Way Illuminated Switch 16AX SP Quick Connect Terminal	<b>WTFBP5411□-1</b> 1-Gang Push Button Quick Connect Terminal
---	---	---	---

### ديمر لتحديد شدة الاضاءة Dimmer Switches

<b>WTFBP55137□-1</b> 1-Gang 1Way Switch 20A DP with Indicator	<b>WTFBP5408699□1K</b> 1-Gang 1Way Switch 45A DP with Indicator Pillar Terminal	<b>WTFBP579120□-1</b> LED Dimmer Switch 200W (LED50W) 220-240V~ 50/60Hz	<b>WTFBP579150□-1</b> <b>NEW</b> LED Dimmer Switch 240W (LED200W) 220-240V~ 50/60Hz
---	---	---	---

### مقابس Socket Outlets

<b>WTFBP11119□-1</b> 1-Gang 13A Switched Socket	<b>WTFBP11129□-1</b> 2-Gang 13A Switched Socket	<b>WTFBP1072□-1</b> <b>NEW</b> 2-port USB Charger	<b>WTFBP2021□-1</b> <b>NEW</b> HDMI connector Socket
--	--	--	---



### اكسسورات Accessories

<b>WTFBP2501□-1</b> TV Socket DIN Type	<b>WTFBP2731□-1</b> TV Socket F Type	<b>WTFBP2164□-1</b> Telephone Socket 6P4C	<b>WTFBP24886□-1</b> LAN Socket Cat 6
---	---	--	--

### توصيلة اسلاك Cable Outlets

<b>WTFBP7010</b> Cable Outlet with 20A Terminal	<b>WTFBP7020</b> Cable Outlet with 45A Terminal
--	--

### سلسلة الفنادق Hotel Series

<b>WTFBP52525□-1</b> <b>NEW</b> Do not Disturb /Please Clean Up Switch	<b>WTFBP53576□-1</b> <b>NEW</b> Indicators of Do not Disturb and Please Clean Up and Push Switch with Bell Symbol	<b>WTFBP5781□-1</b> <b>NEW</b> Electric Card Switch 16A 220V AC
--	--	--

### الوان متنوعة Variety of Colors



FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

يعزز تنسيق الألوان الدقيق والأنيق بيئات المعيشة

Subtle and stylish color coordination enhances living environments



FULL-COLOR  
**WIDE**  
SERIES  
*Refina*

**BS-TYPE**

لوحة ألوان واسعة لتتناسب تمامًا مع التصميمات الداخلية لنمط الحياة.

**WIDE COLOR PALETTE  
TO PERFECTLY MATCH  
LIFESTYLE INTERIORS**

Luxurious appearance with wide color variations range enhances living spaces.



أحدث آلية تبديل مقاومة للحرارة وسهلة الاستخدام

**HEAT-RESISTANT,  
EASY-TO-USE LATEST  
SWITCH MECHANISM**

Simple switch mechanism made trouble-free.



تضمن ميزات الموثوقية العالية السلامة

**HIGH RELIABILITY  
FEATURES ENSURE  
SAFETY**

Complies with requirements of the Saudi Arabian Standards Organization (SASO) & Emirates Quality Mark.



FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE



**NEW**  
**FULL-COLOR WIDE SERIES Refina Metal plates BS-TYPE**

★ Screw Terminal  
 Please check applicable wires  
 in technical details.

**مفاتيح كهربائية**  
**Switches**

<p><b>WEBP515117</b> [ ] [ ] [ ] -0                  1Device 1Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  3Device</p> <p>★</p>	<p><b>WEBP525217</b> [ ] [ ] [ ] -0                  2Device 1Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  3Device</p> <p>★</p>	<p><b>WEBP535317</b> [ ] [ ] [ ] -0                  3Device 1Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  1 Gang 3 Device</p> <p>★</p>	<p><b>WEBP5513630F-0</b> (White)  <b>WEBP5513630</b> [ ] [ ] [ ] -0                  Intermediate Switch(Semi-set)  <b>WEB7831</b> [ ] [ ] (Face Plate)                  1 Gang 1 Device</p> <p>★</p>
---	---	---	---

<p><b>WEBP515127</b> [ ] [ ] [ ] -0                  1Device 2Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  3Device</p> <p>★</p>	<p><b>WEBP525227</b> [ ] [ ] [ ] -0                  2Device 2Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  3Device</p> <p>★</p>	<p><b>WEBP535327</b> [ ] [ ] [ ] -0                  3Device 2Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  1 Gang 3 Device</p> <p>★</p>	<p><b>WEBP545227</b> [ ] [ ] [ ] -0                  4Device 2Way Switch(Semi-set)  <b>WEB7833</b> [ ] [ ] (Face Plate)                  1 Gang 4 Device</p> <p>★</p>
---	---	---	---

<p><b>WEBP5113650F-0</b> (White)  <b>WEBP5113650</b> [ ] [ ] [ ] -0                  Push Switch(Semi-set)  <b>WEB7831</b> [ ] [ ] (Face Plate)                  1 Gang 1 Device</p> <p>★</p>	<p><b>WEBP5414600F-0</b> (White)  <b>WEBP5414600</b> [ ] [ ] [ ] -0                  20A DP Switch(Semi-set)  <b>WEB7831</b> [ ] [ ] (Face Plate)                  1 Gang 1 Device</p> <p>★</p>	<p><b>WEBP5414630F-0</b> (White)  <b>WEBP5414630</b> [ ] [ ] [ ] -0                  20A DP Water Heater Switch(Semi-set)  <b>WEB7831</b> [ ] [ ] (Face Plate)                  1 Gang 1 Device</p> <p>★</p>	<p><b>WEBP52832-0</b> (White)  <b>WEBP52832H-0</b> (Gray)                  Shutter Switch(Semi-set)  <b>WEB7832</b> [ ] [ ] (Face Plate)                  1 Gang 2 Device</p> <p>★</p>
---	---	--	--

**Socket Outlets**

<p><b>WNBP5428690</b> [ ] [ ] K-0                  45A DP Switch (Semi-set)  <b>WEB7821</b> [ ] [ ] (Face Plate)                  45A DP Switch</p> <p>★</p>	<p><b>WEB11119-0H</b> (Gray)  <b>WEB11119-0</b> (White)  <b>WNB11119-0</b> (Beige)                  1G 13A Socket (Semi-set)  <b>WEB7803</b> [ ] [ ] (Face Plate)                  BS Socket</p> <p>★</p>	<p><b>WEB11129-0H</b> (Gray)  <b>WEB11129-0</b> (White)  <b>WNB11129-0</b> (Beige)                  2G 13A Socket (Semi-set)  <b>WEB7807</b> [ ] [ ] (Face Plate)                  BS Socket 2 Gang</p> <p>★</p>	<p><b>WEB1131K-0H</b> (Gray)  <b>WEB1131K-0</b> (White)                  1G 15A Socket (Semi-set)  <b>WEB7803</b> [ ] [ ] (Face Plate)                  BS Socket</p> <p>★</p>
--	---	--	--

**Combination details**

		Switches								
		M W	M W Z	M H	M B	M Y	M F	M A	F	F C
Device		1 Way 1 Device	1 Way 2 Devices	1 Way 3 Devices	2Way 1 Device	2 Way 2 Devices	2 Way 3 Devices	2Way 4 Devices		
Plates	S S Y Y B B	WEBP515117 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP525217 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP535317 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP515127 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP525227 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP535327 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]	WEBP545227 [ ] [ ] [ ] -0 + WEB7833 [ ] [ ]		

		Switches								
		M W	M W Z	M H	M B	M Y	M F	M A	F	F C
Device		Intermediate		Push		20A DP		20A DP Water Heater		
Plates	S S Y Y B B	WEBP5513630F-0 (White) WEBP5513630 [ ] [ ] [ ] -0 + WEB7831 [ ] [ ]	WEBP5113650F-0 (White) WEBP5113650 [ ] [ ] [ ] -0 + WEB7831 [ ] [ ]	WEBP5414600F-0 (White) WEBP5414600 [ ] [ ] [ ] -0 + WEB7831 [ ] [ ]	WEBP5414630F-0 (White) WEBP5414630 [ ] [ ] [ ] -0 + WEB7831 [ ] [ ]					

		Switches			Socket Outlets		
		H	F		H		
Device		Shutter	45A DP		13A 1Gang	13A 2Gang	15A 1Gang
Plates	S S Y Y B B	WEBP52832 [ ] [ ] -0 + WEB7832 [ ] [ ]	WNBP5428690 [ ] [ ] K-0 + WEB7821 [ ] [ ]	WEB11119-0H (Gray) WEB11119-0 (White) WNB11119-0C (Beige) + WEB7803 [ ] [ ]	WEB11129-0H (Gray) WEB11129-0 (White) WEB11129-0C (Beige) + WEB7803 [ ] [ ]	WEB1131K-0 + WEB7803 [ ] [ ]	

FLATIMA SERIES  
 BS-TYPE

FULL-COLOR WIDE SERIES  
 Refina BS-TYPE

FULL-COLOR WIDE SERIES  
 BS-TYPE

FULL-COLOR SERIES  
 BS-TYPE

FLATIMA SERIES  
 BS-TYPE



FULL-COLOR WIDE SERIES  
 Refina BS-TYPE

FULL-COLOR WIDE SERIES  
 BS-TYPE




FULL-COLOR SERIES  
 BS-TYPE

**NEW**  
**FULL-COLOR WIDE SERIES Refina Metal plates BS-TYPE**








**شاحن USB**  
**USB Charger**

<p><b>WEB11114H</b> (Gray)  <b>WEB11114W</b> (White)  <b>WEB11114F</b> (Beige)                  1G 13A Socket USB Charger (Semi-set)  <b>WEB7804</b> (Face Plate)                  BS13A socket + USB</p> 	<p><b>WEF1172</b> 8K                  2-port USB Charger(Semi-set)  <b>WEB7812</b> (Face Plate)                  USB Face Plate</p>  <p>Combination Model number  <b>WNB1072</b></p>
---	---

**اخشورات**  
**Dimmer Switches** ديمر لتحديد شدة الاضاءة











<p><b>WEBP5781530</b> -0                  Dimmer Switch 500W (Semi-set)  <b>WEB7832</b> (Face Plate)                  1 Gang 2 Device</p> 	<p><b>WEBP579120</b> -0                  LED Dimmer Switch 50W (Semi-set)  <b>WEB7832</b> (Face Plate)                  1 Gang 2 Device</p> 	<p><b>WEBP579150</b> -0                  LED Dimmer Switch 200W (Semi-set)  <b>WEB7832</b> (Face Plate)                  1 Gang 2 Device</p> 
---	---	--









**Accessories**







<p><b>WEBP4519940</b> -0                  Telephone Socket(Semi-set)  <b>WEB7831</b> (Face Plate)                  1 Gang 1 Device</p> 	<p><b>WEBP4719830</b> -0                  TV Socket DIN Type(Semi-set)  <b>WEB7831</b> (Face Plate)                  1 Gang 1 Device</p> 	<p><b>WEBP47164501</b> -0                  Oblique TV F Type(Semi-set)  <b>WEB7831</b> (Face Plate)                  1 Gang 1 Device</p> 	<p><b>WEBP4726442</b> -0                  Oblique TV Socket F + TEL(Semi-set)  <b>WEB7832</b> (Face Plate)                  1 Gang 2 Device</p> 
<p><b>WEBP4519680</b> -0                  Cat 6(Semi-set)  <b>WEB7831</b> (Face Plate)                  1 Gang 1 Device</p> 	<p><b>WEBP4529680</b> -0                  Cat 6X2(Semi-set)  <b>WEB7832</b> (Face Plate)                  1 Gang 2 Device</p> 	<p><b>WEG2314</b>                  Telephone Socket 6P4C  <b>WEG24886</b> -P                  Cat 6 Output  <b>WEB7832</b>                  1 Gang 2 Device</p> 	



**Combination details**

	USB sockets		Dimmer Switches			
	Gray White Beige [H] [W] [F]	Gray White [H] [W]	Gray White Beige [H] [W] [F]			
Device	13A + USB 	2-port USB 	500W 	LED 50W 	LED 200W 	
Plates	[S] [S] [S] Matte Silver [S] [S] [S] [Y] [Y] [Y] Matte Gold [Y] [Y] [Y] [B] [B] [B] Matte Black [B] [B] [B]	WEB11114 + WEB7804 	WEF1172 8K + WEB7812 	WEBP5781530 -0 + WEB7832 	WEBP5513630F-0 (White) + WEBP5513630 -0 WEB7832 	WEBP579150 -0 + WEB7832 

	Accessories				
	Gray White [H] [W]				
Device	TEL 	TV DIN 	TV F Oblique 	CAT6 	
Plates	[S] [S] [S] Matte Silver [S] [S] [S] [Y] [Y] [Y] Matte Gold [Y] [Y] [Y] [B] [B] [B] Matte Black [B] [B] [B]	WEBP4519940 -0 + WEB7831 	WEBP4719830 -0 + WEB7831 	WEBP47164501 -0 + WEB7831 	WEBP4519680 -0 + WEB7831 

	Accessories			
	Gray White [H] [W]			
Device	CAT6 x2 	TEL + CAT6 	TV F Oblique + TEL 	
Plates	[S] [S] [S] Matte Silver [S] [S] [S] [Y] [Y] [Y] Matte Gold [Y] [Y] [Y] [B] [B] [B] Matte Black [B] [B] [B]	WEBP4529680 -0 + WEB7832 	WEG2314 + WEG24886 -P + WEB7832 	WEBP4726442 -0 + WEB7832 


FULL-COLOR WIDE SERIES Refina BS-TYPE

**QUICK & SAFE** Quick Connect Terminal II  
 Solid Wire : 1.5-2.5mm<sup>2</sup>  
 Stranded Wire : 1.5-2.5mm<sup>2</sup>

★ **Screw Terminal**  
 Please check applicable wires in technical details.


مفاتيح كهربائية  
 Switches

**WEBP515117** □□□□  
 1-Gang, 1-Device 1Way Switch,  
 16AX 250V with Plate




★

**WEBP525217** □□□□  
 1-Gang, 2-Device 1Way Switch,  
 16AX 250V with Plate



★

**WEBP535317** □□□□ K  
 1-Gang, 3-Device 1Way Switch,  
 16AX 250V with Plate



★

**WNG5002H-791**  
 2Way Switch, 15AX 250V  
**WNG500207H-SA** (Coming Soon)  
 2Way Switch, 16AX 250V  
**WZB7831** □□□□ -P (Plate)  
 1-Gang 1-Device



★

Combination Model number  
**WNBP5210630** □□□□

**WNG5002H-791 X 2**  
 2Way Switch, 15AX 250V  
**WNG500207H-SA X 2** (Coming Soon)  
 2Way Switch, 16AX 250V  
**WZB7832** □□□□ -P (Plate)  
 1-Gang 2-Device



★

Combination Model number  
**WNBP5220630** □□□□

**WNG5002H-791 X 3**  
 2Way Switch, 15AX 250V  
**WNG500207H-SA X 3** (Coming Soon)  
 2Way Switch, 16AX 250V  
**WZB7833** □□□□ -P (Plate)  
 1-Gang 3-Device



★

Combination Model number  
**WNBP5230630** □□□□

**WNG5002H-791 X 4**  
 2Way Switch, 15AX 250V  
**WNG500207H-SA X 4** (Coming Soon)  
 2Way Switch, 16AX 250V  
**WZB7834** □□□□ -P (Plate)  
 2-Gang 4-Device



★


Combination Model number  
**WNBP5240630** □□□□

**WEBP515127** □□□□  
 1-Gang 2Way Switch, 16AX 250V  
 with Plate




★

**WEBP525227** □□□□  
 1-Gang, 2-Device 2Way Switch,  
 16AX 250V with Plate




★

**WEBP535327** □□□□ K  
 1-Gang, 3-Device 2Way Switch,  
 16AX 250V with Plate




★

**WEBP545227** □□□□ **NEW**  
 1-Gang, 4-Device 2Way Switch,  
 10AX 250V with Plate



★

**WNG5021HSP-7**  
 1Way Twin Switch, 10AX 250V  
**WZB7831** □□□□ -P (Plate)  
 1-Gang 1-Device




★

Combination Model number  
**WNBP5101610M** □□□□

\*Stock Only

**WNG5021HSP-7 X 2**  
 1Way Twin Switch, 10AX 250V  
**WZB7832** □□□□ -P (Plate)  
 1-Gang 2-Device




★

Combination Model number  
**WNBP5141610M** □□□□

\*Stock Only

**WNG5021HSP-7 X 4**  
 1Way Twin Switch, 10AX 250V  
**WZB7834** □□□□ -P (Plate)  
 2-Gang 4-Device



★

Combination Model number  
**WNBP5181610M** □□□□

\*Stock Only

**WNG5001H-791**  
 1Way Switch, 15AX 250V  
**WNG500107H-SA** (Coming Soon)  
 1Way Switch, 16AX 250V  
**WZB7831** □□□□ -P (Plate)  
 1-Gang 1-Device



★

Combination Model number  
**WNBP5110630** □□□□

**WNG5001H-791 X 2**  
 1Way Switch, 15AX 250V  
**WNG500107H-SA X 2** (Coming Soon)  
 1Way Switch, 16AX 250V  
**WZB7832** □□□□ -P (Plate)  
 1-Gang 2-Device



★

Combination Model number  
**WNBP5120630** □□□□

**WNG5001H-791 X 3**  
 1Way Switch, 15AX 250V  
**WNG500107H-SA X 3** (Coming Soon)  
 1Way Switch, 16AX 250V  
**WZB7833** □□□□ -P (Plate)  
 1-Gang 3-Device



★

Combination Model number  
**WNBP5130630** □□□□


**WNG5001H-791 X 4**  
 1Way Switch, 15AX 250V  
**WNG500107H-SA X 4** (Coming Soon)  
 1Way Switch, 16AX 250V  
**WZB7834** □□□□ -P (Plate)  
 2-Gang 4-Device



★

Combination Model number  
**WNBP5140630** □□□□

**WEBP5513630** □□□□  
 Intermediate Switch, 4Way, 16AX 250V



★

**WEG5401** □□□□ -7-SP  
 Push Button, 10A 250V  
**WEB7811** □□□□ (Plate)  
 1-Gang 1-Device



★

Combination Model number  
**WEBP5113650** □□□□

**WEG553272** □□□□  
 20A 2Way SP Switch  
**WEB7811** □□□□ (Plate)  
 1-Gang 1-Device



★

Combination Model number  
**WEBP5214730** □□□□

**WEG55337** □□□□  
 20A DP Switch with Indicator  
**WEB7811** □□□□ (Plate)  
 1-Gang 1-Device



★

Combination Model number  
**WEBP5414600** □□□□

الوان متنوعة  
 Variety of Colors



**Metallic White**  
 [M][W]□

**Metallic Pearl White**  
 [M][W][Z]□

**Metallic Gray**  
 [M][H]□

**Metallic Black**  
 [M][B]□

**Metallic Gold**  
 [M][Y]□


**Metallic Brown**  
 [M][F]□

**Metallic Dark Brown**  
 [M][A]□

FULL-COLOR WIDE SERIES Refina BS-TYPE


★ Screw Terminal  
Please check applicable wires in technical details.

**WEBP5414630** □□□□  
20A DP Switch with Indicator  
"Water Heater" and Plate




★

**WEBP52832** □□□□ -SP  
Shutter Switch with Plate



★


**WNBP5428690** □□□□ K  
45A DP Switch with Indicator and  
1-Gang Plate, Pillar Terminal



★

**WNBP5428690D** □□□□  
(old model)  
**WBG5408699H**  
45A DP Switch with Indicator  
**WZB7832** □□□□ -P (Plate)  
1-Gang 2-Device


**WNBP5448690** □□□□ K  
45A DP Switch with Indicator and  
2-Gang Plate, Pillar Terminal



★


**WNBP5448690D** □□□□  
(old model)  
**WBG5408699H**  
45A DP Switch with Indicator  
**WZB7817** □□□□ -P (Plate)  
2-Gang 2-Device

**WEB1131** □□□□ K  
15A 250V 1-Gang Switched  
Round Pin Outlet with Plate



★

**WNG1101-791H**  
15A 127V 3Wire Grounding Socket  
**WZB7831** □□□□ -P (Plate)  
1-Gang 1-Device



★

Combination Model number  
**WNP1619600** □□□□

**WNG1101-791H X 2**  
15A 127V 3Wire Grounding Socket  
**WZB78322** □□□□ (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WNP1629603** □□□□


**WEG11517H**  
15A 127V 3Wire Grounding  
Socket Outlet  
**WEB7812** □□□□ (Plate)  
1-Gang 2-Device



★


Combination Model number  
**WEBP1619610** □□□□

**WEB7100** □□□□ **NEW**  
13A Fuse Connection Unit




★

**WEB7101** □□□□ **NEW**  
13A Fuse Connection Unit  
with Indicator



★

**WEB7103** □□□□ **NEW**  
13A Fuse Connection Unit  
with DP Switch and Indicator



★


**WEG10817H**  
16A 250V Universal Socket with Shutter  
**WEG55317** □□□□  
1Way Switch 16AX 250V  
**WEB7812** □□□□ (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WEP5120632** □□□□

**WEG10817H**  
16A 250V Universal Socket with Shutter  
**WEB7811** □□□□ (Plate)  
1-Gang 1-Device



★

Combination Model number  
**WEBP1914610** □□□□


**WEG10817H X 2**  
16A 250V Universal Socket with Shutter  
**WEB7812** □□□□ (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WEBP1924610** □□□□

**WEG11817H**  
16A 250V Grounding Universal Socket  
with Shutter  
**WEB7812** □□□□ (Plate)  
1-Gang 2-Device




★

Combination Model number  
**WEBP1814710** □□□□

مقابس  
Socket Outlets

**WEBP13117** □□□□ **NEW**  
13A 250V 1-Gang Unswitched Socket  
Outlet with Plate



★


**WEB11119** □□□□  
13A 250V 1-Gang DP Switched Socket  
Outlet with Plate



★

**WEB1111K** □□□□ (old model)  
13A 250V 1-Gang DP Switched Socket  
Outlet with Plate


**WEB11129** □□□□  
13A 250V 2-Gang DP Switched Socket  
Outlet with Plate



★


**WEB1112K** □□□□  
(old model)  
13A 250V 2-Gang DP Switched  
Socket Outlet with Plate

**WEB11114** □□□□ **NEW**  
13A 250V Socket Outlet 1-gang,  
DP Switched with 1 Port USB Charger



★


**WEG15827H**  
16A 250V Grounding Universal Socket  
with Shutter  
**WEB7813** □□□□ (Plate)  
1-Gang 3-Device



★

Combination Model number  
**WEP1824710** □□□□


**WEB111169** □□□□  
Cooker Control Unit  
with Plate



★

**WEB11116** □□□□  
(old model)  
Cooker Control Unit


**WEB17419** □□□□  
13A 250V Socket Outlet Residual  
Current Device with Plate



★

**WEB1741** □□□□  
(old model)  
Socket Outlet Residual  
Current Device with Plate

**WEB111159** □□□□  
13A 250V Socket Outlet 1-Gang,  
DP Switched with 2-port USB Charger,  
and Plate



★

**WEB11115** □□□□  
(old model)  
Socket Outlet 1-Gang,  
DP Switched with  
2-port USB Charger

الوان متنوعة  
Variety of Colors



**Metallic White**  
M W □

**Metallic Pearl White**  
M W Z □

**Metallic Gray**  
M H □

**Metallic Black**  
M B □

**Metallic Gold**  
M Y □

**Metallic Brown**  
M F □

**Metallic Dark Brown**  
M A □

FULL-COLOR WIDE SERIES Refina BS-TYPE



اكسسورات  
Accessories

<p><b>WEG2364H</b> Telephone Socket 6P4C <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP4519940</b> [ ] [ ] [ ]</p>	<p><b>WEG2364H X 2</b> Telephone Socket 6P4C <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP4529940</b> [ ] [ ] [ ]</p>	<p><b>WEG2501-PH</b> TV Socket DIN Type <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP4719830</b> [ ] [ ] [ ]</p>	<p><b>WEG2501-PH X 2</b> TV Socket DIN Type <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP4729830</b> [ ] [ ] [ ]</p>
<p><b>WEG2731H</b> TV Socket F Type <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP47194501</b> [ ] [ ] [ ]</p> <p>*Stock Only</p>	<p><b>WEG2741H</b> <span style="color:red">NEW</span> Oblique TV Socket F Type <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP47164501</b> [ ] [ ] [ ]</p>	<p><b>WEG2731H X 2</b> TV Socket F Type <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP47294501</b> [ ] [ ] [ ]</p> <p>*Stock Only</p>	<p><b>WEG2364H</b> Telephone Socket 6P4C <b>WE2731H-8</b> TV Socket F Type <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP45299471</b> [ ] [ ] [ ]</p> <p>*Stock Only</p>
<p><b>WEG2488H-P</b> Cat 5E Outlet <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP4519980</b> [ ] [ ] [ ]</p>	<p><b>WEG24886H-P</b> Cat 6 Outlet <b>WEB7811</b> [ ] [ ] [ ] (Plate) 1-Gang 1-Device</p> <p>Combination Model number <b>WEBP4519680</b> [ ] [ ] [ ]</p>	<p><b>WEG2364H</b> Telephone Socket 6P4C <b>WEG24886H-P</b> Cat 6 Outlet <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP4529682</b> [ ] [ ] [ ]</p>	<p><b>WEB7010</b> [ ] [ ] [ ] <span style="color:red">NEW</span> 1-Gang Cable Outlet with 20A Terminal Block</p> <p>★</p>

Dimmer Switches ديمر لتحديد شدة الاضاءة

<p><b>WEB7020</b> [ ] [ ] [ ] <span style="color:red">NEW</span> 1-Gang Cable Outlet with 45A Terminal Block</p> <p>★</p>	<p><b>WEG578153H</b> Dimmer Switch 500W 220-240V- 50/60Hz <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP5781530</b> [ ] [ ] [ ]</p>	<p><b>WEG57912H-P</b> LED Dimmer Switch 200W (LED50W) 220-240V- 50/60Hz <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP579120</b> [ ] [ ] [ ]</p>	<p><b>WEG57915H-P</b> <span style="color:red">NEW</span> LED Dimmer Switch 240W(LED200W) 220-240V- 50/60Hz <b>WEB7812</b> [ ] [ ] [ ] (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WEBP579150</b> [ ] [ ] [ ]</p>
---	---	--	---

HDMI المقبس  
HDMI Connector

**WEG2021H** NEW  
HDMI Connector  
**WEB7811** [ ] [ ] [ ] -P  
1-Gang 1-Device

Combination Model number  
**WEBP42150** [ ] [ ] [ ]

شاحن USB  
USB Charger

<p><b>WNF1071H8</b> 1-port USB Charger (Gray) <b>WZB7832</b> [ ] [ ] [ ] -P (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WNBP1426120D</b> [ ] [ ] [ ]</p>	<p><b>WNF1072H8</b> 2-port USB Charger (Gray) <b>WZB7832</b> [ ] [ ] [ ] -P (Plate) 1-Gang 2-Device</p> <p>Combination Model number <b>WNBP1072D</b> [ ] [ ] [ ]</p>
---	--

**WNBP1072D** [ ] [ ] [ ] -1  
**WNF1072H8-1**  
(Vertical Type)

**WEF1172H8K**  
2-port USB Charger (Gray)  
**WEB7812** [ ] [ ] [ ] (Plate)  
1-Gang 2-Device

Combination Model number  
**WEBP1172D** [ ] [ ] [ ]

**WEBP1172D** [ ] [ ] [ ]  
**WEF1172H8K**  
(Vertical Type)

الوان متنوعة  
Variety of Colors

<p><b>Metallic White</b> <b>MW</b> [ ] [ ]</p>	<p><b>Metallic Pearl White</b> <b>MWZ</b> [ ] [ ]</p>	<p><b>Metallic Gray</b> <b>MH</b> [ ] [ ]</p>	<p><b>Metallic Black</b> <b>MB</b> [ ] [ ]</p>	<p><b>Metallic Gold</b> <b>MY</b> [ ] [ ]</p>	<p><b>Metallic Brown</b> <b>MF</b> [ ] [ ]</p>	<p><b>Metallic Dark Brown</b> <b>MA</b> [ ] [ ]</p>
--	---	---	--	---	--	---

خطوط نظيفة للتصاميم ذات المظهر الحاد التي تضيف إلى جاذبية غرف المعيشة وكذلك المكاتب

Clean lines for sharp-looking designs that add to the attractiveness of living rooms as well as offices.



FULL-COLOR  
**WIDE** BS-TYPE  
SERIES

## تصميمات مربعة بسيطة بأناقة ELEGANTLY SIMPLE SQUARE DESIGNS


Add a refreshing accent to any room. Bold, modern plates with square shapes available in various configurations to suit residential and commercial requirements.



أحدث آلية تبديل مقاومة للحرارة وسهلة الاستخدام

## HEAT-RESISTANT, EASY-TO-USE LATEST SWITCH MECHANISM

A basic Panasonic wiring device with simple, trouble-free switch mechanism.



تضمن ميزات الموثوقية عالية السلامة

## HIGH RELIABILITY FEATURES ENSURE SAFETY

Complies with requirements of the Saudi Arabian Standards Organization (SASO) & Emirates Quality Mark.



FULL-COLOR WIDE SERIES BS-TYPE



Quick Connect Terminal II  
Solid Wire : 1.5-2.5mm<sup>2</sup>  
Stranded Wire : 1.5-2.5mm<sup>2</sup>

★ Screw Terminal  
Please check applicable wires in technical details.

اكسسورات  
Switches

**WEBP515117**  
1-Gang 1Way Switch, 16AX 250V with Plate

★

**WEBP525217**  
1-Gang 2-Device 1Way Switch, 16AX 250V with Plate

★

**WEBP535317K**  
1-Gang 3-Device 1Way Switch, 16AX 250V with Plate

★

**WNG5021W-7**  
1Way Twin Switch, 10AX 250V  
**WZB7831WK (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WNBP5101610F**

**WNG5021W-7 X 2**  
1Way Twin Switch, 10AX 250V  
**WZB7832WK (Plate)**  
1-Gang 2-Device

★  
Combination Model number  
**WNBP5141610F**

**WNG5021W-7 X 4**  
1Way Twin Switch, 10AX 250V  
**WZB7834WK (Plate)**  
2-Gang 4-Device

★  
Combination Model number  
**WNBP5181610F**

\*Stock Only

\*Stock Only

\*Stock Only

**WEBP515127**  
1-Gang 2Way Switch, 16AX 250V with Plate

★

**WEBP525227**  
1-Gang 2-Device 2Way Switch, 16AX 250V with Plate

★

**WEBP535327K**  
1-Gang 3-Device 2Way Switch, 16AX 250V with Plate

★

**WEBP545227** NEW  
1-Gang 4-Device 2Way Switch, 10AX 250V with Plate

★

**WEG5534**  
Intermediate Switch, 4Way, 16AX 250V  
**WEB7811W (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WEBP5513630F**

**WEG5401-7-P**  
Push Button, 10A 250V  
**WEB7811W (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WEBP5113650F**

**WNG5401-7K-P**  
Appellation Push Button "B" SP 10A 250V  
**WZB7831WK (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WNBP5113660F**

**WNG5401-7K-P X 2**  
Appellation Push Button "B" SP 10A 250V  
**WZB7832WK (Plate)**  
1-Gang 2-Device

★  
Combination Model number  
**WNBP5123660F**

FLATIMA SERIES BS-TYPE

FULL-COLOR WIDE SERIES Refina BS-TYPE

FULL-COLOR WIDE SERIES BS-TYPE

FULL-COLOR SERIES BS-TYPE

FLATIMA SERIES BS-TYPE

FULL-COLOR WIDE SERIES Refina BS-TYPE

FULL-COLOR WIDE SERIES BS-TYPE

FULL-COLOR SERIES BS-TYPE

**WNG5001W-791**  
1Way Switch, 15AX 250V Coming Soon  
**WNG500107W-SA**  
1Way Switch, 16AX 250V  
**WZB7831WK (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WNBP5110630F**

**WNG5001W-791 X 2**  
1Way Switch, 15AX 250V Coming Soon  
**WNG500107W-SA X 2**  
1Way Switch, 16AX 250V  
**WZB7832WK (Plate)**  
1-Gang 2-Device

★  
Combination Model number  
**WNBP5120630F**

**WNG5001W-791 X 3**  
1Way Switch, 15AX 250V Coming Soon  
**WNG500107W-SA X 3**  
1Way Switch, 16AX 250V  
**WZB7833WK (Plate)**  
1-Gang 3-Device

★  
Combination Model number  
**WNBP5130630F**

**WNG5001W-791 X 4**  
1Way Switch, 15AX 250V Coming Soon  
**WNG500107W-SA X 4**  
1Way Switch, 16AX 250V  
**WZB7834WK (Plate)**  
2-Gang 4-Device

★  
Combination Model number  
**WNBP5140630F**

**WEG553272**  
20A 2Way SP Switch  
**WEB7811W (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WEBP5214730F**

**WEG55337**  
20A DP Switch with Indicator  
**WEB7811W (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WEBP5414600F**

**WEG55337-SP**  
20A DP Switch with Water Heater Mark  
**WEB7811 (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WEBP5414630F**

**WEBP52832**  
Shutter Switch with Plate

★

**WNG5002W-791**  
2Way Switch, 15AX 250V Coming Soon  
**WNG500207W-SA**  
2Way Switch, 16AX 250V  
**WZB7831WK (Plate)**  
1-Gang 1-Device

★  
Combination Model number  
**WNBP5210630F**

**WNG5002W-791 X 2**  
2Way Switch, 15AX 250V Coming Soon  
**WNG500207W-SA X 2**  
2Way Switch, 16AX 250V  
**WZB7832WK (Plate)**  
1-Gang 2-Device

★  
Combination Model number  
**WNBP5220630F**

**WNG5002W-791 X 3**  
2Way Switch, 15AX 250V Coming Soon  
**WNG500207W-SA X 3**  
2Way Switch, 16AX 250V  
**WZB7833WK (Plate)**  
1-Gang 3-Device

★  
Combination Model number  
**WNBP5230630F**

**WNG5002W-791 X 4**  
2Way Switch, 15AX 250V Coming Soon  
**WNG500207W-SA X 4**  
2Way Switch, 16AX 250V  
**WZB7834WK (Plate)**  
2-Gang 4-Device

★  
Combination Model number  
**WNBP5240630F**





**WNBP5428690FK**  
45A DP Switch with Indicator and 1-Gang Plate, Pillar Terminal





★  
**WNBP5428690F (old model)**  
**WBG5408699W**  
45A DP Switch with Indicator  
**WZB7832WK-1 (Plate)**  
1-Gang 2-Device

FULL-COLOR WIDE SERIES BS-TYPE





★ Screw Terminal  
Please check applicable wires in technical details.


مقابس  
Socket Outlets





<p><b>WNBP5448690FK</b> 45A DP Switch with Indicator and 2-Gang Plate, Pillar Terminal</p>  <p>★</p> <p>WNB5448690F (old model) WBG5408699W 45A DP Switch with Indicator WZB7817W (Plate) 2-Gang 2-Device</p>	<p><b>WEBP13117W</b> <span style="color:red">NEW</span> 13A 250V 1-Gang Unswitched Socket Outlet with Plate</p>  <p>★</p>	<p><b>WEB11119W</b> 13A 250V 1-Gang DP Switched Socket Outlet with Plate</p>  <p>★</p> <p>WEB1111WK (old model) 13A 250V 1-Gang DP Switched Socket Outlet with Plate</p>	<p><b>WEB11129W</b> 13A 250V 2-Gang DP Switched Socket Outlet with Plate</p>  <p>★</p> <p>WEB1112WK (old model) 13A 250V 2-Gang DP Switched Socket Outlet with Plate</p>
--	--	---	---

<p><b>WEG10817</b> 16A 250V Universal Socket with Shutter</p> <p><b>WEG55317</b> 1Way Switch 16AX 250V <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP5120632F</b></p>	<p><b>WEG10817</b> 16A 250V Universal Socket with Shutter</p> <p><b>WEG55317 X 2</b> 1Way Switch 16AX 250V <b>WEB7813W (Plate)</b> 1-Gang 3-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP5130632F</b></p>	<p><b>WEG15827</b> 16A 250V Grounding Universal Socket with Shutter</p> <p><b>WEB7813W (Plate)</b> 1-Gang 3-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1824710F</b></p>	<p><b>WEG11817</b> 16A 250V Universal Multi Socket with Shutter</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1814710F</b></p>
---	---	---	---

اكسسورات  
Accessories

<p><b>WEB11114</b> <span style="color:red">NEW</span> 13A 250V Socket Outlet 1-Gang, DP Switched Socket Outlet with 1 port USB Charger</p>  <p>★</p>	<p><b>WEB1131WK</b> 15A 250V 1-Gang Switched Round Pin Outlet with Plate</p>  <p>★</p>	<p><b>WEG11517</b> 3Wire Grounding Socket Outlet 15A 127V <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1619610F</b></p>	<p><b>WNG1101W-791</b> 15A 127V 3Wire Grounding Socket <b>WZB7831WK (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WNB1619600F</b></p>
---	---	--	---

<p><b>WEG2364</b> Telephone Socket 6P4C <b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP4519940F</b></p>	<p><b>WEG2364 X 2</b> Telephone Socket 6P4C <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP4529940F</b></p>	<p><b>WEG2501-P</b> TV Socket DIN Type <b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP4719830F</b></p>	<p><b>WEG2501-P X 2</b> TV Socket DIN Type <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP4729830F</b></p>
--	--	---	---




<p><b>WNG1101W-791 X 2</b> 15A 127V 3Wire Grounding Socket <b>WZB78322W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WNB1629630F</b></p>	<p><b>WEG10817</b> 16A 250V Universal Socket with Shutter <b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1914610F</b></p>	<p><b>WEG10817 X 2</b> 16A 250V Universal Socket with Shutter <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1924610F</b></p>	<p><b>WEG10817 X 3</b> 16A 250V Universal Socket with Shutter <b>WEB7813W (Plate)</b> 1-Gang 3-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP1934610F</b></p>
---	--	--	--

<p><b>WEG2731</b> TV Socket F Type <b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP47194501F</b></p>	<p><b>WEG2741</b> <span style="color:red">NEW</span> TV Socket F Type <b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP47164501F</b></p>	<p><b>WEG2731 X 2</b> TV Socket F Type <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP47294501F</b></p>	<p><b>WEG2364</b> Telephone Socket 6P4C <b>WEG2501-P</b> TV Socket DIN Type <b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WEBP4529942F</b></p>
--	---	--	--

\*Stock Only

\*Stock Only

\*Stock Only

<p><b>WEB111169W</b> Cooker Control Unit with Plate</p>  <p>★</p> <p>WEB11116W (old model) Cooker Control Unit</p>	<p><b>WEB17419W</b> 13A 250V Socket Outlet Residual Current Device with Plate</p>  <p>★</p> <p>WEB1741W (old model) Socket Outlet Residual Current Device with Plate (White)</p>	<p><b>WEB111159W</b> 13A 250V Socket Outlet 1-Gang, DP Switched with 2-port USB Charger</p>  <p>★</p> <p>WEB11115W (old model) Socket Outlet 1-Gang, DP Switched with 2-port USB Charger</p>
---	---	--

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE



## FULL-COLOR WIDE SERIES BS-TYPE

 **Quick Connect Terminal II**  
 Solid Wire : 1.5-2.5mm<sup>2</sup>  
 Stranded Wire : 1.5-2.5mm<sup>2</sup>

 **Global Terminal**  
 Solid Wire : 1.5-4mm<sup>2</sup>  
 Stranded Wire : 1.5-4mm<sup>2</sup>





 **Screw Terminal**  
 Please check applicable wires in technical details.



<p><b>WEG2364</b> Telephone Socket 6P4C</p> <p><b>WE2731-8</b> TV Socket F Type</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP45299471F</b></p>	<p><b>WEG2488-P</b> Cat 5E Outlet</p> <p><b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>Combination Model number <b>WEBP4519980F</b></p>	<p><b>WEG2488-P X 2</b> Cat 5E Outlet</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP4529980F</b></p>	<p><b>WEG24886-P</b> Cat 6 Outlet</p> <p><b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>Combination Model number <b>WEBP4519680F</b></p>
---	--	--	--

### USB Charger شاحن USB




<p><b>WNF1071W8</b> 1-port USB Charger, white</p> <p><b>WZB7832WK (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WNBP1426120DF</b></p>	<p><b>WNF1072W8</b> 2-port USB Charger, white</p> <p><b>WZB7832WK (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WNBP1072F</b></p>
--	--

 **WNBP1072DF-1**  
**WNF1072W8-1**  
 Vertical Type


<p><b>WEG24886-P X 2</b> Cat 6 Outlet</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP4529680F</b></p>	<p><b>WEG2364</b> Telephone Socket 6P4C</p> <p><b>WE24886-P</b> TV Socket F Type</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP4529682F</b></p>	<p><b>WEB7010W</b> <b>NEW</b> 1-Gang Cable Outlet with 20A Terminal Block</p>  <p>★</p>	<p><b>WEB7020W</b> <b>NEW</b> 1-Gang Cable Outlet with 45A Terminal Block</p>  <p>★</p>
---	--	---	---

<p><b>WEF1172W8K</b> 2-port USB Charger, white</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP1172F</b></p>	<p><b>WEBP11721F</b> <b>WEF11721W8K</b> Vertical Type</p> 
--	---

### ديمر لتحديد شدة الاضاءة Dimmer Switches

<p><b>WEG578153</b> Dimmer Switch 500W 220-240V- 50/60Hz</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP5781530F</b></p>	<p><b>WEG57912-P</b> LED Dimmer Switch 200W (LED50W) 220-240V- 50/60Hz</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP579120F</b></p>	<p><b>WEG57915-P</b> <b>NEW</b> LED Dimmer Switch 240W(LED200W) 220-240V- 50/60Hz</p> <p><b>WEB7812W (Plate)</b> 1-Gang 2-Device</p>  <p>Combination Model number <b>WEBP579150F</b></p>
---	--	---

### المقبس HDMI HDMI Connector

<p><b>WEG2021</b> <b>NEW</b> Connector for HDMI Connection</p> <p><b>WEB7811W (Plate)</b> 1-Gang 1-Device</p>  <p>Combination Model number <b>WEBP42150F</b></p>
---

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

تصميمات بسيطة متوافقة مع أي مخطط داخلي

Simple designs compatible with any interior plan.



**FULL-COLOR**  
Series

**BS-TYPE**

مجموعة واسعة من الالوان للاختيار من بينها للوصول الى الالوان المثالية

**WIDE RANGE OF  
COLORS TO SELECT  
FROM FOR PERFECT  
COLOR COORDINATION**

Designed for compatibility with any international wiring standards and installation requirements.



مقاومة للحراره  
مفاتيح متطورة سهلة الاستخدام

**HEAT-RESISTANT,  
EASY-TO-USE LATEST  
SWITCH MECHANISM**

A basic Panasonic wiring device with simple, trouble-free switch mechanism.



تضمن ميزات الموثوقية العالية السلامة

**HIGH RELIABILITY  
FEATURES ENSURE  
SAFETY**



علامة الجودة الإماراتية  
Emirates Quality Mark

- European RoHS Directives compliant, totally free of Cd, Hg, Cr6+, Pb, PBB and PBDE substances
- Fire-retardant materials used to prevent core components burning
- CE mark displayed

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FULL-COLOR SERIES BS-TYPE

★ Screw Terminal  
Please check applicable wires in technical details.

اكسسورات  
Switches

**WNBP515117**  
1-Gang 1Way Switch with Plate, 16AX 250V



★

**WNBP525217**  
1-Gang 2-Device 1Way Switch with Plate, 16AX 250V



★

**WNBP535317K**  
1-Gang 3-Device 1Way Switch with Plate, 16AX 250V



★

**WNBP515127**  
1-Gang 2Way Switch with Plate, 16AX 250V



★

**WNBP525227**  
1-Gang 2-Device 2Way Switch with Plate, 16AX 250V



★

**WNBP535327K**  
1-Gang 3-Device 2Way Switch with Plate, 16AX 250V



★

**WNBP545227** NEW  
1-Gang, 4-Device 2Way Switch, 10AX 250V with Plate



★

**WNG5001-791**  
1Way Switch, 15AX 250V  
**WNG500107-SA** Coming Soon  
1Way Switch, 16AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device



★

Combination Model number  
**WNBP5110630** □□

**WNG5001-791 X 2**  
1Way Switch, 15AX 250V  
**WNG500107-SA X 2** Coming Soon  
1Way Switch, 16AX 250V  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WNBP5120630** □□


**WNG5001-791 X 3**  
1Way Switch, 15AX 250V  
**WNG500107-SA X 3** Coming Soon  
1Way Switch, 16AX 250V  
<Beige> **WNB7803** (Plate)  
<Gold> **WNB7733Y** (Plate)  
<Chrome> **WNB7733S** (Plate)  
1-Gang 3-Device



★

Combination Model number  
**WNBP5130630** □□


**WNG5001-791 X 4**  
1Way Switch, 15AX 250V  
**WNG500107-SA X 4** Coming Soon  
1Way Switch, 16AX 250V  
<Beige> **WNB7804** (Plate)  
<Gold> **WNB7734Y** (Plate)  
<Chrome> **WNB7734S** (Plate)  
2-Gang 4-Device



★

Combination Model number  
**WNBP5140630** □□

الوان متنوعة  
Variety of Colors  
\*For combination model number



**Beige** □□

**Gold** \* **TY**

**Chrome** \* **PC**

\*Gold and Chrome type require Plastic mounting strap.


**WNG5002-791**  
2Way Switch, 15AX 250V  
**WNG500207-SA** Coming Soon  
2Way Switch, 16AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device



★

Combination Model number  
**WNBP5210630** □□


**WNG5002-791 X 2**  
2Way Switch, 15AX 250V  
**WNG500207-SA X 2** Coming Soon  
2Way Switch, 16AX 250V  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WNBP5220630** □□

**WNG5002-791 X 3**  
2Way Switch, 15AX 250V  
**WNG500207-SA X 3** Coming Soon  
2Way Switch, 16AX 250V  
<Beige> **WNB7803** (Plate)  
<Gold> **WNB7733Y** (Plate)  
<Chrome> **WNB7733S** (Plate)  
1-Gang 3-Device



★

Combination Model number  
**WNBP5230630** □□


**WNG5002-791 X 4**  
2Way Switch, 15AX 250V  
**WNG500207-SA X 4** Coming Soon  
2Way Switch, 16AX 250V  
<Beige> **WNB7804** (Plate)  
<Gold> **WNB7734Y** (Plate)  
<Chrome> **WNB7734S** (Plate)  
2-Gang 4-Device



★

Combination Model number  
**WNBP5240630** □□

**WNG5151-751**  
1Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device




★

Combination Model number  
**WNBP5119630** □□

\*Stock only for KSA & Kuwait

**WNG5151-751 X 2**  
1Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device




★

Combination Model number  
**WNBP5129630** □□

\*Stock only for KSA & Kuwait

**WNG5151-751 X 3**  
1Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7803** (Plate)  
<Gold> **WNB7733Y** (Plate)  
<Chrome> **WNB7733S** (Plate)  
1-Gang 3-Device




★

Combination Model number  
**WNBP5139630** □□

\*Stock only for KSA & Kuwait

**WNG5151-751 X 4**  
1Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7804** (Plate)  
<Gold> **WNB7734Y** (Plate)  
<Chrome> **WNB7734S** (Plate)  
2-Gang 4-Device




★

Combination Model number  
**WNBP5149630** □□

\*Stock only for KSA & Kuwait

**WNG5152-751**  
2Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device




★

Combination Model number  
**WNBP5219630** □□

\*Stock only for KSA & Kuwait

**WNG5152-751 X 2**  
2Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WNBP5229630** □□

\*Stock only for KSA & Kuwait

**WNG5152-751 X 3**  
2Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7803** (Plate)  
<Gold> **WNB7733Y** (Plate)  
<Chrome> **WNB7733S** (Plate)  
1-Gang 3-Device




★

Combination Model number  
**WNBP5239630** □□

\*Stock only for KSA & Kuwait

**WNG5152-751 X 4**  
2Way Illuminated Switch, 16AX 250V  
<Beige> **WNB7804** (Plate)  
<Gold> **WNB7734Y** (Plate)  
<Chrome> **WNB7734S** (Plate)  
2-Gang 4-Device




★

Combination Model number  
**WNBP5249630** □□

\*Stock only for KSA & Kuwait

**WNG5021-7-P**  
1Way Twin Switch, 10AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device



★

Combination Model number  
**WNBP5101610** □□

\*Stock Only

**WNG5021-7-P X 2**  
1Way Twin Switch, 10AX 250V  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device



★

Combination Model number  
**WNBP5141610** □□

\*Stock Only

**WNG5021-7-P X 4**  
1Way Twin Switch, 10AX 250V  
<Beige> **WNB7804** (Plate)  
<Gold> **WNB7734Y** (Plate)  
<Chrome> **WNB7734S** (Plate)  
2-Gang 4-Device




★

Combination Model number  
**WNBP5181610** □□

\*Stock Only

**WNG5004-7**  
Intermediate Switch, 4Way, 10AX 250V  
<Beige> **WNB7801** (Plate)  
<Gold> **WNB7731Y** (Plate)  
<Chrome> **WNB7731S** (Plate)  
1-Gang 1-Device




★

Combination Model number  
**WNBP5513630** □□



\*Stock Only

FULL-COLOR SERIES BS-TYPE




★ Screw Terminal  
Please check applicable wires in technical details.

<p><b>WNG5401-7K</b> Push Button, 10A 300V &lt;Beige&gt; <b>WNB7801</b> (Plate) &lt;Gold&gt; <b>WNB7731Y</b> (Plate) &lt;Chrome&gt; <b>WNB7731S</b> (Plate) 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WNB5113650</b> □□</p>	<p><b>WNG5401-7K X 2</b> Push Button, 10A 300V &lt;Beige&gt; <b>WNB7802</b> (Plate) &lt;Gold&gt; <b>WNB7732Y</b> (Plate) &lt;Chrome&gt; <b>WNB7732S</b> (Plate) 1-Gang 2-Device</p>  <p>★</p> <p>Combination Model number <b>WNB5123650</b> □□</p>	<p><b>WNG5461-7</b> Push Button, 10A 300V (Appellation) &lt;Beige&gt; <b>WNB7801</b> (Plate) &lt;Gold&gt; <b>WNB7731Y</b> (Plate) &lt;Chrome&gt; <b>WNB7731S</b> (Plate) 1-Gang 1-Device</p>  <p>★</p> <p>Combination Model number <b>WNB5113660</b> □□</p>	<p><b>WNB5113650-SP</b> 1-Gang 1Way Push Button with Plate, 10A 250V</p>  <p>★</p>
---	---	--	---

<p><b>WNB5513630-SP</b> 1-Gang Intermediate Switch with Plate, 16AX 250V</p>  <p>★</p>	<p><b>WNB5214730</b> 1-Gang 2Way 20A SP Switch with Plate, 20A 250V</p>  <p>★</p>	<p><b>WNB5414600-SP</b> 1-Gang 20A DP Switch with Indicator and Plate, 20A 250V</p>  <p>★</p>	<p><b>WNB5414630-SP</b> 1-Gang 20A DP Switch Marked "Water Heater" with Indicator and Plate, 20A 250V</p>  <p>★</p>
---	--	--	--









<p><b>WNB5428690K</b> 45A DP Switch with Indicator and 1-Gang Plate, Pillar Terminal</p>  <p>★</p> <p><b>WNB5428690</b> □□ (old model) <b>WB65408699</b> 45A DP Switch with Indicator, 250V &lt;Beige&gt; <b>WNB7802</b> (Plate) &lt;Gold&gt; <b>WNB77321Y</b> (Plate) &lt;Chrome&gt; <b>WNB77321S</b> (Plate) 1-Gang 2-Device</p>	<p><b>WNB5448690K</b> 45A DP Switch with Indicator and 2-Gang Plate, Pillar Terminal</p>  <p>★</p> <p><b>WNB5448690</b> □□ (old model) <b>WB65408699</b> 45A DP Switch with Indicator, 250V &lt;Beige&gt; <b>WNB7817</b> (Plate) &lt;Gold&gt; <b>WNB7737Y</b> (Plate) &lt;Chrome&gt; <b>WNB7737S</b> (Plate) 2-Gang 2-Device</p>
---	---

الوان متنوعة  
Variety of Colors  
\*For combination model number

 Beige □□	 Gold T Y	 Chrome P C
--	--	--

\*Gold and Chrome type require Plastic mounting strap.

Socket Outlets مقابس

<p><b>WNB5113117</b> <span style="color: red;">NEW</span> 13A 250V 1-Gang Unswitched Socket Outlet with Plate</p>  <p>★</p>	<p><b>WNB11119</b> 13A 250V 1-Gang Switched Socket Outlet with Plate</p>  <p>★</p> <p><b>WNB1111K</b> (old model) 13A 250V 1-Gang Switched Socket Outlet <b>WNB1110610</b> □□ (for Metallic Plate) &lt;Gold&gt; <b>WNB715177Y</b> (Plate) &lt;Chrome&gt; <b>WNB715177S</b> (Plate)</p>	<p><b>WNB11129</b> 13A 250V 2-Gang Switched Socket Outlet with Plate</p>  <p>★</p> <p><b>WNB1112K</b> (old model) 13A 250V 2-Gang Switched Socket Outlet <b>WNB1120610</b> □□ (for Metallic Plate) &lt;Gold&gt; <b>WNB715177Y</b> (Plate) &lt;Chrome&gt; <b>WNB715177S</b> (Plate)</p>	<p><b>WNB11114</b> <span style="color: red;">NEW</span> 13A 250V Socket Outlet 1-Gang, DP Switched Socket Outlet with 1 port USB Charger</p>  <p>★</p>
<p><b>WNB1131K</b> 15A 250V 1-Gang Switched Round Pin Outlet with Plate</p>  <p>★</p> <p>Combination Model number <b>WNB1130610</b> (for Metallic Plate) &lt;Gold&gt; <b>WNB715177Y</b> (Plate) &lt;Chrome&gt; <b>WNB715177S</b> (Plate)</p>	<p><b>WNB111169</b> Cooker Control Unit with Shutter</p>  <p>★</p> <p><b>WNB11116</b> □□ (old model) Cooker Control Unit</p>	<p><b>WNB17419</b> 13A 250V Socket Outlet Residential Current Device with Plate</p>  <p>★</p> <p><b>WNB1741</b> (old model) Socket Outlet Residential Current Device with Plate</p>	<p><b>WNB111159</b> 13A 250V Socket Outlet 1-Gang, DP Switched with 2-port USB Charger, and Plate</p>  <p>★</p> <p><b>WNB11115</b> (old model) Socket Outlet 1-Gang, DP Switched with 2-port USB Charger</p>

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE



FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

# FULL-COLOR SERIES BS-TYPE





## اكسسورات Accessories



<b>WNTG15649</b> Telephone Socket 6P4C <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4519940</b> □□	<b>WNTG15649 X 2</b> Telephone Socket 6P4C <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4529940</b> □□	<b>WZ1201-P</b> TV Socket DIN Type <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4719830</b> □□	<b>WZ1201-P X 2</b> TV Socket DIN Type <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4729830</b> □□
--	--	--	--



<b>WNG3063</b> TV Socket F Type <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4719450</b> □□	<b>WNG3063 X 2</b> TV Socket F Type <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4729450</b> □□	<b>WNG3063</b> TV Socket F Type <b>WNTG15649</b> Telephone Socket 6P4C <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4529947</b> □□	<b>WZ1201-P</b> TV Socket DIN Type <b>WNTG15649</b> Telephone Socket 6P4C <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4529942</b> □□
--	--	---	--

<b>NR3160-8</b> Cat 5E Outlet <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4519980</b> □□	<b>NR3170-8</b> Cat 6 Outlet <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4519680</b> □□	<b>NR3170-8</b> Cat 6 Outlet <b>WCS3063K-8</b> TV Socket F Type <Beige> <b>WNB7802</b> (Plate) <Gold> <b>WNB7732Y</b> (Plate) <Chrome> <b>WNB7732S</b> (Plate) 1-Gang 2-Device  Combination Model number <b>WBNP4529687</b> □□	<b>WNG2741</b> TV Socket F Type <Beige> <b>WNB7801</b> (Plate) <Gold> <b>WNB7731Y</b> (Plate) <Chrome> <b>WNB7731S</b> (Plate) 1-Gang 1-Device  Combination Model number <b>WBNP4716450</b> □□
---	--	---	---

**الوان متنوعة**  
Variety of Colors  
\*For combination model number

  
  
 Beige  
 □□

  
  
 Gold  
 T Y

  
  
 Chrome  
 P C

\*Gold and Chrome type require Plastic mounting strap.

NEW

**WNB7010 Beige only**  
1-Gang Cable Outlet with 20A Terminal Block  
★  


NEW

**WNB7020 Beige only**  
1-Gang Cable Outlet with 45A Terminal Block  
★  


## ديمر لتحديد شدة الاضاءة Dimmer Switches


**WEG578153-FC**  
Dimmer Switch 500W  
220-240V- 50/60Hz  
<Beige> **WNB7872** (Plate)  
1-Gang 2-Device  
★  
  
Combination Model number  
**WBNP5781530**


**WEG57912-FC**  
LED Dimmer Switch 200W (LED50W)  
220-240V- 50/60Hz  
<Beige> **WNB7872** (Plate)  
1-Gang 2-Device  
★  
  
Combination Model number  
**WBNP579120**

NEW

**WEG57915-FC**  
LED Dimmer Switch 240W(LED200W)  
220-240V- 50/60Hz  
<Beige> **WNB7872** (Plate)  
1-Gang 2-Device  
★  
  
Combination Model number  
**WBNP579150**

## شاحن USB USB Charger


**WNF10718**  
1-port USB Charger  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device  
★  
  
Combination Model number  
**WBNP1426120D** □□

**WNF10728**  
2-port USB Charger  
<Beige> **WNB7802** (Plate)  
<Gold> **WNB7732Y** (Plate)  
<Chrome> **WNB7732S** (Plate)  
1-Gang 2-Device  
★  
  
Combination Model number  
**WBNP1072D** □□

**WBNP1072D** □□-1  
**WNF10728-1**  
Vertical Type  
★  


## المقبس HDMI HDMI Connector

NEW

**WEG2021-FC**  
Connector for HDMI Connection  
**WNB7871**  
1-Gang 1-Device  
★  
  
Combination Model number  
**WBNP42150**

## اخرى Others

**WEJ9111W**  
13A Plug BS 1363  


FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE

FLATIMA SERIES  
BS-TYPE

FULL-COLOR WIDE SERIES  
Refina BS-TYPE

FULL-COLOR WIDE SERIES  
BS-TYPE

FULL-COLOR SERIES  
BS-TYPE


قوام بسيط وسلس  
Simple, smooth textures



**SIMPLUS BS-TYPE**

## لمسة أنيقة وخفيفة ELEGANT AND LIGHT TOUCH

Rounded contours with wide and easy-to-push buttons. A minimal design that suits any room's interior.



## مميزات المتانة والسلامة الموثوقة FEATURES FOR DURABILITY AND RELIABLE SAFETY

Fade-resistant colors.  
Scratch-resistant.  
Flame-retardant.



## ACHIEVING SAFETY THROUGH HIGH RELIABILITY

- European RoHS Directives compliant, totally free of Cd, Hg, Cr6+, Pb, PBB and PBDE substances.
- Fire-retardant materials used to prevent core components burning.
- Saudi Arabian Standards Organization (SASO) compliant.



# SIMPLUS

## اكسسورات Switches

★ Screw Terminal  
Please check applicable wires  
in technical details.





<p><b>WSBC5011</b> □</p> <p>1-Gang 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5021</b> □</p> <p>1-Gang 2-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5031</b> □</p> <p>1-Gang 3-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5091</b> □</p> <p>1-Gang 4-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>
---	---	---	---

<p><b>WSBC5061</b> □ <span style="color: red;">NEW</span></p> <p>2-Gang 6-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5062</b> □ <span style="color: red;">NEW</span></p> <p>2-Gang 6-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5303</b> □</p> <p>1-Gang 20A DP Switch with Indicator, 20A 250V</p>  <p>★</p>	<p><b>WSBC5313</b> □</p> <p>1-Gang 20A DP Switch Marked "WATER HEATER" with Indicator, 20A 250V</p>  <p>★</p>
--	--	--	--

<p><b>WSBC5012</b> □</p> <p>1-Gang 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5022</b> □</p> <p>1-Gang 2-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5032</b> □</p> <p>1-Gang 3-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC5092</b> □</p> <p>1-Gang 4-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>
---	---	---	---





<p><b>WSBC5403</b> □</p> <p>1-Gang 45A DP Switch with Indicator, 45A 250V</p>  <p>★</p>	<p><b>WSBC5413</b> □</p> <p>2-Gang 45A DP Switch with Indicator, 45A 250V</p>  <p>★</p>	<p><b>WSBC4814</b> □</p> <p>Curtain Switch</p>  <p>★</p>	<p><b>WSBC5511</b> □</p> <p>1-Gang 1Way SP Push Switch, with "Bell Symbol" 10A 250V</p>  <p>★</p>
--	--	---	--

## مقابس Socket Outlets

<p><b>WSBC5211</b> □</p> <p>1-Gang 1Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5221</b> □</p> <p>1-Gang 2-Devices 1Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5231</b> □</p> <p>1-Gang 3-Devices 1Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5041</b> □</p> <p>2-Gang 4-Devices 1Way SP Switch, 10A 250V</p>  <p>★</p>
--	--	--	--

<p><b>WSBC5014</b> □</p> <p>1-Gang Intermediate Switch, 10AX 250V</p>  <p>★</p>	<p><b>WSBC1711</b> □</p> <p>1-Gang SP Switched Multiple Socket, 10A 250V</p>  <p>★</p>	<p><b>WSBC1212</b> □</p> <p>1-Gang DP Switched Socket, 13A 250V</p>  <p>★</p>	<p><b>WSBC1222</b> □</p> <p>2-Gang DP Switched Socket, 13A 250V</p>  <p>★</p>
--	---	--	--

<p><b>WSBC5212</b> □</p> <p>1-Gang 2Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5222</b> □</p> <p>1-Gang 2-Devices 2Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5232</b> □</p> <p>1-Gang 3-Devices 2Way 20A SP Switch, 20A 250V</p>  <p>★</p>	<p><b>WSBC5042</b> □</p> <p>2-Gang 4-Devices 2Way SP Switch, 10A 250V</p>  <p>★</p>
--	--	--	--

<p><b>WSBC1210</b> □</p> <p>1-Gang Socket, Unswitched, 13A 250V</p>  <p>★</p>	<p><b>WSBC1220</b> □</p> <p>2-Gang Socket, Unswitched, 13A 250V</p>  <p>★</p>	<p>Variety of Colors الوان متنوعة</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>White <b>W</b></p> </div> <div style="text-align: center;">  <p>Beige <b>F</b></p> </div> </div>	
--	--	--	--

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

S I M P L U S  
BS-TYPE





S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

<p><b>WSBC1211W</b> 1-Gang SP Switched Socket, 13A 250V</p>  <p>★</p>	<p><b>WSBC1221W</b> 2-Gang SP Switched Socket, 13A 250V</p>  <p>★</p>	<p><b>WSBC1214</b> □ 1-Gang DP Switched Socket with Indicator, 13A 250V</p>  <p>★</p>	<p><b>WSBC1224</b> □ 2-Gang DP Switched Socket with Indicator, 13A 250V</p>  <p>★</p>
--	--	--	--

<p><b>WSBC6120</b> □ Cooker Control Unit 45A DP Switch + 13A DP Switched Socket with Indicator</p>  <p>★</p>	<p><b>WSBC1017</b> □ 1-Gang DP Switched Socket with USB Charger Switch: 13A 250V USB Charger: 2.1A 5V</p>  <p>★</p>	<p><b>WSBC1311</b> □ 1-Gang SP Switched Socket 15A 250V</p>  <p>★</p>	<p><b>WSBC1610</b> □ 1-Gang German Socket 16A 250V</p>  <p>★</p>
---	--	--	---

<p><b>WSBC1510W</b> 1-Gang Universal Socket (Non SASO Standard) 16A 250V</p>  <p>★</p>	<p><b>WSBC1520W</b> 1-Gang 2-Devices Universal Socket (Non SASO Standard) 16A 250V</p>  <p>★</p>	<p><b>WSBC9120</b> □ Shaver Socket Outlet Input: 220V-240V Output: 230V / 115V 20VA</p>  <p>★</p>	<p><b>WSBC1228</b> □ Socket Outlet Residual Current Device 13A 220V-240V</p>  <p>★</p>
---	---	--	---

اكسسورات TV  
Accessories - Television





<p><b>WSBC3010</b> □ 1-Gang TV Socket DIN Type</p> 	<p><b>WSBC3011</b> □ 1-Gang TV Socket F Type</p> 	<p><b>WSBC3021</b> □ 1-Gang 2-Devices TV Socket F Type</p> 	<p><b>WSBC3818</b> □ 1-Gang TV Socket F Type + Telephone Socket RJ11/12 6P4C</p> 
--	--	--	--




اكسسورات هاتف  
Accessories - Telephone

<p><b>WSBC3118</b> □ 1-Gang Telephone Socket RJ11/12 6P4C</p> 	<p><b>WSBC3128</b> □ 1-Gang 2-Devices Telephone Socket RJ11/12 6P4C</p> 	<p><b>WSBC3113</b> □ 1-Gang Telephone Socket UK Secondary</p> 	<p><b>WSBC3217</b> □ 1-Gang CAT6 RJ45</p> 
---	---	---	---

ديمر لتحديد شدة الاضاءة  
Dimmer Switches

<p><b>WSBC3227</b> □ 1-Gang 2-Devices CAT6 RJ45</p> 	<p><b>WSBC4211</b> □ 1-Gang 2Way Push On/Off 500W Dimmer 220V-240V 50/60Hz</p>  <p>★</p>	<p><b>WSBC4213</b> □ 1-Gang 2Way Push On/Off 1000W Dimmer 220V-240V 50/60Hz</p>  <p>★</p>	<p><b>WSBC7010</b> □ 1-Gang Cable Outlet with 20A Terminal Block</p>  <p>★</p>
---	---	--	---

<p><b>WSBC7020</b> □ 1-Gang Cable Outlet with 45A Terminal Block</p>  <p>★</p>	<p><b>WSBC7100</b> □ 1-Gang 13A Fused Connection Unit 13A 250V</p>  <p>★</p>	<p><b>WSBC7101</b> □ 1-Gang 13A Fused Connection Unit with Indicator 13A 250V</p>  <p>★</p>	<p><b>WSBC7103</b> □ 1-Gang 13A DP Switched Fused Connection Unit with Indicator 13A 250V</p>  <p>★</p>
---	---	--	--

<p><b>WSBC8010</b> □ 1-Gang Blank Plate</p> 	<p><b>WSBC8020</b> □ 2-Gang Blank Plate</p> 	<p>Variety of Colors الوان متنوعة</p>  <p>White <b>W</b>      Beige <b>F</b></p>	
---	---	---	--



قوام بسيط وسلس  
Simple, smooth textures



**SIMPLUS BS-TYPE**  
For Hotel

## SIMPLUS

★ Screw Terminal  
Please check applicable wires  
in technical details.

**WSBC9810W**  
Electric Card Switch 16A 220V AC



★

**WSBC9631W**  
Indicators of Do Not Disturb and  
Clean Up Room and Push Switch  
with Bell Symbol



★

**WSBC9320W**  
Indicators of Do Not Disturb and  
Clean Up Room



★


**WSBC9220W**  
Internal Control Unit for Indicators  
of Do Not Disturb and Clean Up Room




★

## Wiring Diagrams

### DND and PCU Switch & Indicator



### Electric Card Switch



يمكن تكوين مجموعات مختلفة باستخدام قاعدة التصميم الأساسية ومجموعة واسعة من العناصر

Various combinations can be configured using the basic design base and an extensive range of items



*Harmony* BS-TYPE

مصممة للبساطة مع التطور


DESIGNED FOR SIMPLICITY WITH SOPHISTICATION

5 colors available: white, gold, matte gold, chrome, and matte chrome.



المكونات المطورة حديثاً  
NEWLY-DEVELOPED COMPONENTS

Component base with a thin design to perfectly match the BS box.



تحقيق الأمان من خلال الموثوقية العالية  
ACHIEVING SAFETY THROUGH HIGH RELIABILITY



Standard  
•BS/IEC Compliant







- European RoHS Directives compliant, totally free of Cd, Hg, Cr6+, Pb, PBBs, PBDEs, DIBP, DBP, BBP and DEHP substances.
- Fire-retardant materials used to prevent core components burning.
- Saudi Arabian Standards Organization (SASO) compliant.

# HARMONY BS-TYPE

★ Screw Terminal  
Please check applicable wires  
in technical details.





## اكسسورات Switches

<p><b>WBC5011</b> □□</p> <p>1-Gang 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5021</b> □□</p> <p>1-Gang 2-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5031</b> □□</p> <p>1-Gang 3-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5041</b> □□</p> <p>2-Gang 4-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>
---	---	---	---





<p><b>WBC5203</b> □□</p> <p>1-Gang 20A DP Switch, 20A 250V</p>  <p>★</p>	<p><b>WBC5303</b> □□</p> <p>1-Gang 20A DP Switch with Indicator, 20A 250V</p>  <p>★</p>	<p><b>WBC5313</b> □□</p> <p>1-Gang 20A DP Switch Marked "Water Heater" with Indicator, 20A 250V</p>  <p>★</p>
---	--	--

<p><b>WBC5061</b> □□</p> <p>2-Gang 6-Devices 1Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5012</b> □□</p> <p>1-Gang 1-Device 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5022</b> □□</p> <p>1-Gang 2-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5032</b> □□</p> <p>1-Gang 3-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>
---	--	---	---

<p><b>WBC5403</b> □□</p> <p>1-Gang 45A DP Switch with Indicator, 45A 250V</p>  <p>★</p>	<p><b>WBC5413</b> □□</p> <p>2-Gang 45A DP Switch with Indicator Large plate, 45A 250V</p>  <p>★</p>	<p><b>WBC6120</b> □□</p> <p>2-Gang Cooker Control Unit (45A DP Switch, + 13A Socket DP Switched with Indicator) 13A 250V</p>  <p>★</p>
--	--	---

<p><b>WBC5042</b> □□</p> <p>2-Gang 4-Devices 2Way 10A SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5062</b> □□</p> <p>2-Gang 6-Devices 2Way SP Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5014</b> □□</p> <p>1-Gang Intermediate Switch, 10AX 250V</p>  <p>★</p>	<p><b>WBC5511</b> □□</p> <p>1-Gang 1Way SP Push Switch, with "Bell Symbol" 10A 250V</p>  <p>★</p>
---	---	--	--

## مقابس Socket Outlets

<p><b>WBC1212</b> □□</p> <p>1-Gang DP Switched Socket 13A 250V</p>  <p>★</p>	<p><b>WBC1214</b> □□</p> <p>1-Gang DP Switched Socket with Indicator 13A 250V</p>  <p>★</p>	<p><b>WBC1222</b> □□</p> <p>2-Gang DP Switched Socket 13A 250V</p>  <p>★</p>	<p><b>WBC1224</b> □□</p> <p>2-Gang DP Switched Socket with Indicator 13A 250V</p>  <p>★</p>
---	--	---	--

<p>الوان متنوعة Variety of Colors</p>	  <p>White</p> <p>□□</p>	  <p>Gold</p> <p>Y□</p>	  <p>Matte-Gold</p> <p>Y Y</p>	  <p>Chrome</p> <p>S□</p>	  <p>Matte-Chrome</p> <p>S S</p>
---	--	---	--	---	--

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

HARMONY BS-TYPE

★ Screw Terminal  
Please check applicable wires  
in technical details.

<p><b>WBC1210 White only</b> <span style="color:red">NEW</span></p> <p>1-Gang Socket, Unswitched, 13A 250V</p>  <p>★</p>	<p><b>WBC1311</b> □□</p> <p>1-Gang SP Switched Socket 15A 250V</p>  <p>★</p>	<p><b>WBC1313</b> □□</p> <p>2-Gang SP Switched Socket with Indicator 15A 250V</p>  <p>★</p>	<p><b>WBC1410</b> □□</p> <p>1-Gang Socket 15A 127V</p>  <p>★</p>
---	---	--	---

<p><b>WBC1111</b> □□</p> <p>1-Gang SP Switched Socket 5A 250V</p>  <p>★</p>	<p><b>WBC1113</b> □□</p> <p>1-Gang SP Switched Socket with Indicator 5A 250V</p>  <p>★</p>	<p><b>WBC1510</b> □□</p> <p>1-Gang Universal Socket 16A 250V</p>  <p>★</p>	<p><b>WBC1520</b> □□</p> <p>1-Gang 2-Devices Universal Socket 16A 250V</p>  <p>★</p>
---	--	--	--

<p><b>WBC6122</b> □□</p> <p>1-Gang 1Way SP Switch 10AX 250V + 16A Universal Socket 16A 250V</p>  <p>★</p>	<p><b>WBC1610 White only</b></p> <p>1-Gang German Socket 16A 250V</p>  <p>★</p>	<p><b>WBC1711 White only</b></p> <p>1-Gang SP Switched Multiple Socket, 10A 250V</p>  <p>★</p>	<p><b>WBC9120</b> □□</p> <p>Shaver Socket Outlet Input : 220V-240V Output : 230V / 115V 20VA</p>  <p>★</p>
--	--	---	---

Accessories اكسسورات

<p><b>WBC3112</b> □□</p> <p>1-Gang Telephone Socket UK Master</p> 	<p><b>WBC3113</b> □□</p> <p>1-Gang Telephone Socket UK Secondary</p> 	<p><b>WBC3114</b> □□</p> <p>1-Gang Telephone Socket RJ11/12</p> 	<p><b>WBC3118</b> □□</p> <p>1-Gang Telephone Socket RJ11/12 6P4C</p> 
---	--	---	--

<p><b>WBC3124</b> □□</p> <p>1-Gang 2-Devices Telephone Socket RJ11/12</p> 	<p><b>WBC3128</b> □□</p> <p>1-Gang 2-Devices Telephone Socket RJ11/12 6P4C</p> 	<p><b>WBC3010</b> □□</p> <p>1-Gang TV Socket DIN Type</p> 	<p><b>WBC3011</b> □□</p> <p>1-Gang TV Socket F Type</p> 
--	---	--	--

<p><b>WBC3020</b> □□</p> <p>1-Gang TV Socket DIN Type + FM Socket</p> 	<p><b>WBC3818</b> □□</p> <p>1-Gang TV Socket F Type + Telephone Socket RJ11/12 6P4C</p> 	<p><b>WBC3822</b> □□</p> <p>1-Gang TV Socket F Type + Telephone Socket UK Master</p> 	<p><b>WBC3820</b> □□</p> <p>1-Gang TV Socket DIN Type + TV Socket F Type</p> 
---	---	--	--

<p>الوان متنوعة Variety of Colors</p>					
	<p>White</p>  <p>□□</p>	<p>Gold</p>  <p>Y□</p>	<p>Matte-Gold</p>  <p>Y Y</p>	<p>Chrome</p>  <p>S□</p>	<p>Matte-Chrome</p>  <p>S S</p>

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL


# HARMONY BS-TYPE




★ **Screw Terminal**  
Please check applicable wires  
in technical details.

<p><b>WBC3821</b> □□ 1-Gang TV Socket DIN Type + Telephone Socket UK Master</p> 	<p><b>WBC3216</b> □□ 1-Gang CAT 5E RJ45</p> 	<p><b>WBC3217</b> □□ 1-Gang CAT 6 RJ45</p> 	<p><b>WBC3226</b> □□ 1-Gang 2-Devices CAT 5 RJ45</p> 
---	---	--	--



## Others اخرى

<p><b>WBC7010 White only</b> 1-Gang Cable Outlet with 20A Terminal Block</p>  <p>★</p>	<p><b>WBC7020 White only</b> 1-Gang Cable Outlet with 45A Terminal Block</p>  <p>★</p>	<p><b>WBC7100</b> □□ 1-Gang 13A Fused Connection Unit 13A 250V</p>  <p>★</p>	<p><b>WBC7101</b> □□ 1-Gang 13A Fused Connection Unit with Indicator 13A 250V</p>  <p>★</p>
---	---	---	--

<p><b>WBC3227</b> □□ 1-Gang 2-Devices CAT 6 RJ45</p> 	<p><b>WBC3878</b> □□ 1-Gang CAT 6 RJ45 + Telephone Socket RJ11/12 6P4C</p> 
---	---

<p><b>WBC7102</b> □□ 1-Gang 13A DP Switched Fused Connection Unit 13A 250V</p>  <p>★</p>	<p><b>WBC7103</b> □□ 1-Gang 13A DP Switched Fused Connection Unit with Indicator 13A 250V</p>  <p>★</p>	<p><b>WBC8010</b> □□ 1-Gang Blank Plate</p> 	<p><b>WBC8020</b> □□ 2-Gang Blank Plate</p> 
--	---	--	--

## ديمر لتحديد شدة الاضاءة Dimmer Switches

<p><b>WBC4211</b> □□ 1-Gang 2Way Push On/Off 500W Dimmer 220V-240V 50Hz/60Hz</p>  <p>★</p>	<p><b>WBC4221</b> □□ 1-Gang 2-Devices 2Way Push On/Off 400W x 2 Dimmer 220V-240V 50Hz/60Hz</p>  <p>★</p>	<p><b>WBC4231</b> □□ 2-Gang 3-Devices 2Way Push On/Off 350W x 3 Dimmer 220V-240V 50Hz/60Hz</p>  <p>★</p>	<p><b>WBC4241</b> □□ 2-Gang 4-Devices 2Way Push On/Off 300W x 4 Dimmer 220V-240V 50Hz/60Hz</p>  <p>★</p>
---	---	--	---

<p><b>WBC6010 White only</b> 1-Gang with Earth Terminal Box 35MM deep</p> 	<p><b>WBC6020 White only</b> 2-Gang with Earth Terminal Box 35MM deep</p> 
---	---

<p>الوان متنوعة Variety of Colors</p>	  <p><b>White</b></p> <p>□□</p>	  <p><b>Gold</b></p> <p>Y□</p>	  <p><b>Matte-Gold</b></p> <p>Y Y</p>	  <p><b>Chrome</b></p> <p>S□</p>	  <p><b>Matte-Chrome</b></p> <p>S S</p>
---	---	--	---	--	---

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel

H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SIREIS  
for HOTEL

صنعت لتكمل المجموعة العريضة للفنادق ولكي تناسب غرف الضيوف

Made to complement the full color wide specifications of hotels, and is suitable for guest rooms.



FULL-COLOR  
**WIDE** for HOTEL  
SERIES

**QUICK & SAFE** Quick Connect Terminal II  
Solid Wire : 1.5-2.5mm<sup>2</sup>  
Stranded Wire : 1.5-2.5mm<sup>2</sup>

**QUICK & SAFE** Global Terminal  
Solid Wire : 1.5-4mm<sup>2</sup>  
Stranded Wire : 1.5-4mm<sup>2</sup>

★ Screw Terminal  
Please check applicable wires in technical details.


<p><b>WEB5781WK</b> Electric Card Switch 16A 220-240V-</p> <p>★</p>	<p><b>WEB1051W-ID</b> <b>NEW</b> Shaver Socket Input 220V Output 240V / 110V Applicable Box : 2-Gang BS-TYPE</p> <p>★</p>	<p><b>EBGP888K</b> (KSA only) <b>EBG888K-D</b> (UAE only) <b>EBG888-P</b> (The other market) Door Chime 220V AC Easy to Hear 82dB Chime</p>	<p><b>EBGP889</b> (KSA only) <b>NEW</b> Door Chime 220V AC Easy to Hear 82dB Chime (Reverse Tone)</p>
---	---	---	---

<p><b>WEBFP57311W-SA</b> <b>NEW</b> Sensor Switch 220-240V</p> <p><b>QUICK &amp; SAFE</b></p>	<p><b>WEG3032R-02</b> Do Not Disturb</p> <p><b>QUICK &amp; SAFE</b></p>	<p><b>WEG3032G-03</b> Make Up Room</p> <p><b>QUICK &amp; SAFE</b></p>	<p><b>WEG5401-01-P</b> Bell Push</p> <p><b>QUICK &amp; SAFE</b></p>
---	---	---	---

<p><b>WEG5002K-02- SP</b> Hotel Use Switch "C" for Indication "Don't Disturb" 16AX 250V-</p> <p><b>QUICK &amp; SAFE</b></p>	<p><b>WEG5001K-03- SP</b> Hotel Use Switch "B" for Indication "Make Up Room" 16AX 250V-</p> <p><b>QUICK &amp; SAFE</b></p>	<p><b>WEB7811W</b> 1-Gang 1-Devices Plate</p>	<p><b>WEB7812W</b> 1-Gang 2-Device Plate</p>
---	--	---	--

**WEB7813W**  
1-Gang 3-Device Plate

Wire Connection Diagram - Do Not Disturb, Make Up Room, Bell Push



S I M P L U S  
BS-TYPE

S I M P L U S  
BS-TYPE for Hotel


H A R M O N Y  
BS-TYPE

FULL-COLOR WIDE SERIES  
for HOTEL

غطاء خارجي مقاوم ممتاز لعوامل الطقس , انيق وسهل استخدامه للباب الخارجي  
Outdoor plate with excellent weather proof resistance,  
elegant and easy to use door chime.



إدارة كاملة متعددة المفاتيح الكل في لوحة واحدة  
Multi-switch complete management  
all in one plate.



## WEATHER PROOF COVER/ DOOR CHIME

مضاد للعوامل الجوية  
Weather Proof

**WNG5001-791 X 2**  
1Way Switch

**WNG1081-7**

Universal Socket  
with Shutter  
A-TYPE  
Weather Proof  
Metal

**WN7803K-8**  
(Plate)

Combination Model number  
**WNGP5130632MS**



**WNG5001-791 X 2**  
1Way Switch

**WNG1081-7**

Universal Socket  
with Shutter  
A-TYPE  
Weather Proof  
Plastic

**WN7903-8**  
(Plate)

Combination Model number  
**WNGP5130632PS**




**WEG8881-P**

Weather Proof Cover  
A-TYPE Metal IP55



**WEG8981-P**


Weather Proof Cover  
A-TYPE Plastic IP55



**WBG8981-P**  
1-Gang Weather Proof Cover Plastic  
BS-TYPE IP55



**WBG8982-P**  
2-Gang Weather Proof Cover Plastic  
BS-TYPE IP55



**WBC8991W-SA**  
Weather Proof Cover for socket  
BS-TYPE Plastic IP43



**WBC8981SW-SA**  
Weather Proof Cover for switch  
BS-TYPE Plastic IP43



جرس  
Door Chime

**EBGP888K** (KSA only)  
**EBG888K-D** (UAE only)  
**EBG888-P** (The other market)  
Door Chime 220V AC  
Easy to Hear 82dB Chime




**EBG889-P** (KSA only) **NEW**  
Door Chime 220V AC  
Easy to Hear 82dB Chime  
(Reverse Tone)



**EGG331-P**  
Weather Proof Push Button IP44  
For Door Chime 1A, 220-240V~



**EGG335-P**  
Weather Proof Push Button IP44  
For Door Chime 1A, 220-240V~



مفتاح وفيش مضاد للعوامل الجوية  
Weather Proof Switch&Socket

**WPTC40032GR**  
2Way Switch IP54



**WPTC40112GR**  
2-Gang 2Way Switch IP54



**WPTC42262GR**  
13A BS Socket IP54



**WPTC48262GR**  
2-Gang 13A BS Socket IP54



## MULTI GANG PLATE

★ Screw Terminal  
Please check applicable wires  
in technical details.

**WNG5001-791 X 9**  
1Way Switch

**WNG500107-SA X 9** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6009W** (Plate)  
9-Gang Plate  
Beige



★

Combination Model number  
**WNGP5190630**

**WNG5001-791 X 9**  
1Way Switch

**WNG500107-SA X 9** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6509K-8** (Plate)  
9-Gang Plate  
Metal



★

Combination Model number  
**WNGP5190630S**

\*Stock Only

**WNG5001-791 X 12**  
1Way Switch

**WNG500107-SA X 12** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6012W8** (Plate)  
12-Gang Plate  
Beige



★

Combination Model number  
**LW1153BW**

**WNG5001-791 X 12**  
1Way Switch

**WNG500107-SA X 12** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6512K-8** (Plate)  
12-Gang Plate  
Metal



★


Combination Model number  
**LW5153BS**

\*Stock Only

**WNG5001-791 X 15**  
1Way Switch

**WNG500107-SA X 15** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6015W8** (Plate)  
15-Gang Plate  
Beige



★

Combination Model number  
**LW1154EW**

**WNG5001-791 X 15**  
1Way Switch

**WNG500107-SA X 15** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6515K-8** (Plate)  
15-Gang Plate  
Metal



★

Combination Model number  
**LW5154BS**

\*Stock Only

**WNG5001-791 X 18**  
1Way Switch

**WNG500107-SA X 18** **Coming Soon**

1Way Switch, 16AX 250V  
**WN6518K-8** (Plate)  
18-Gang Plate  
Metal



★

Combination Model number  
**LW5154FS**

\*Stock Only

مظهر جميل وتصميم امن للعب الارضية  
**Nice Appearance and Safety Design  
 for Floor Management.**



## FLOOR OUTLET SERIES


### Flexible Combination

Various combination is possible by choosing socket outlets, data outlets, telephone modular from Panasonic wiring accessories.

### Floor Box-3 Compartments for concrete floor

#### DUMF6200LT-1

The three-compartment floor box for British Standard power and data outlets, flexible combination for various applications



IP2X


#### DUMF6202LT-1

The three-compartment floor box for British Standard power and data outlets Double Single type



IP2X

### Dimension الأبعاد




### Installation الأبعاد

#### How To Mount

After putting the concrete on, make the hole to install the product.

(1) Take the box protector off


(2) Insert the Floor Outlet Unit



### Installation Procedure


#### 1. Embedding the Outlet Box

(1) After the completion of plumbing, install the cover unit with M4 screws.  
 \*M4 screws included.




#### 2. Making an Inlet for Cable

(1) Hit at the center of the box protector with hammer to make a hole.  
 (2) Trim concrete along the rim of the box protector.  
 (3) When install the Floor Outlet, loosen cover unit screws to remove the box protector.



#### 3. Install the Floor Outlet to the Outlet Box

(1) Put the Floor Outlet into the Outlet Box by sliding the lever. Fasten the setting screws after opening the cover.  
 (Adjustable degree of product is 6 degrees)  
 (2) Check direction and position of the Floor Outlet.



### Floor Outlet Aluminium BS-TYPE

#### DUF5200LT-1 Blank with Cover Unit and Outlet Box

This Floor Outlet Box can be supplied without socket.




Examples أمثلة



### Dimension الأبعاد

#### Aluminium BS-TYPE



### Floor Outlet Aluminium A-TYPE

#### DUF1200LTK-1 Blank with Cover Unit and Outlet Box


This Floor Outlet Box can be supplied without socket.



Examples أمثلة



#### Aluminium A-TYPE



(Unit: mm)

WEATHER PROOF COVER /  
DOOR CHIME

MULTI GANG PLATE

FLOOR OUTLET SERIES

PASSIVE INFRARED SENSOR

WEATHER PROOF COVER /  
DOOR CHIME

MULTI GANG PLATE

FLOOR OUTLET SERIES

PASSIVE INFRARED SENSOR



تطور جديد مع توفير في الطاقة للتحكم في الانارة  
**New innovation with**  
**New energy-saving lighting control.**





## PASSIVE INFRARED SENSOR

### Lighting controls intended to conserve energy.


The sensor detects movement and ambient brightness, and automatically turns the lights On or Off. You no longer need to worry about forgetting to turn the lights off.

FULL-COLOR  
**WIDE**  
 SERIES



**The detection area can be increased by connecting the maximum of 4 Auxiliary units with Master unit.**

Applicable location  
 Dividing area (restroom,locker) and corridor.



\*Please strictly follow below condition for your comfortabel and safe use.



### Wall Sensor Switch

WEBFP57311W-SA  
 White

NEW



Rating	220V-240V~ Incandescent Lamp 300W Flourescent Lamp 100W LED lamp 100W
Applicable Standard	IEC60669-2-1
Ambient Temperature	0°C — +35°C
Applicable Wire	Rigid Copper Conductor 1.5mm <sup>2</sup> -2.5mm <sup>2</sup>
Time-Out Delay	3 minutes±30 seconds
Daylight Sensor	Over 15 lux
Detectable Movement Speed	0.3m/seconds
Temperature of Detection	5°C or more

### Ceiling Mounted Sensor - Master

WTKG2411  
 White



Rating	3A 220-240V~, Incandescent Lamp 660W Fluorescent Lamp 330W
Applicable Standard	IEC60669-2-1
Ambient Temperature	-10°C — +40°C
Applicable Wire	Rigid Copper Conductor 1.5mm <sup>2</sup> -2.5mm <sup>2</sup>
Size of Installation Hole(cm)	Ø7cm(+0.5cm)
Applicable Box	Square Box (Depth : 2 inches or more) Octagon Box (Depth : 2 inches or more)
Time-Out Delay	10 seconds - 30 minutes
Detectable Movement Speed	0.3m/seconds -1.0m/seconds
Temperature of Detection	4°C or more

### Ceiling Mounted Sensor - Auxiliary


WTKG2911  
 WTKF2911-SA(Coming soon)  
 White



Rating	12V DC (Must be connect with only WTKG2411) can not connect with lamp
Applicable Standard	IEC60669-2-1
Ambient Temperature	-10°C — +40°C
Applicable Wire	Rigid Copper Conductor 1.5mm <sup>2</sup> -2.5mm <sup>2</sup>
Size of Installation Hole(cm)	Ø7cm(+0.5cm)
Applicable Box	Square Box (Depth : 2 inches or more) Octagon Box (Depth : 2 inches or more)
Time-Out Delay	Depend on time out delay of master
Detectable Movement Speed	0.3m/seconds -1.0m/seconds
Temperature of Detection	4°C or more

### Ceiling Mounted Sensor

WTKG2310-P  
 White



Rating	3A 220V-240V~
Applicable Standard	IEC60669-2-1
Ambient Temperature	-10°C — +40°C
Applicable Wire	Rigid Copper Conductor 1.5mm <sup>2</sup> -2.5mm <sup>2</sup>
Size of Installation Hole(cm)	Ø7cm(+0.5cm)
Applicable Box	Square Box (Depth : 2 inches or more) Octagon Box (Depth : 2 inches or more)
Time-Out Delay	Fixed 1 minute
Detectable Movement Speed	0.3m/seconds -1.0m/seconds
Light Sensor	None
Temperature of Detection	4°C or more

WEATHER PROOF COVER /  
 DOOR CHIME

MULTI GANG PLATE

FLOOR OUTLET SERIES

PASSIVE INFRARED SENSOR

WEATHER PROOF COVER /  
 DOOR CHIME

MULTI GANG PLATE

FLOOR OUTLET SERIES

PASSIVE INFRARED SENSOR