



## Pole Lights

## LANDSCAPE LIGHTS



### Description

Pole Lights, uses SMD LED for outdoor applications. Housing is made of Die-Cast Aluminum.

### Product Features

- SMD LEDs
- Built-in LED Driver
- Optical grade PMMA lamp shades
- Double photometric diffuser technology
- Installation: Pole Mounted
- 0-1/10V dimming, DALI dimming (optional)
- IP Rating: IP65
- Life span: 50,000 hours

### Electrical Specifications

- Rated Supply Voltage: 220-240V
- Frequency: 50/60Hz

### Applications





Landscape Lighting





Gardens

## DULED-6102





Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6102-35	35W	SMD LEDs	3710 lm	106 lm/W	3000K	>80
DULED-6102-45	45W		4770 lm			
DULED-6102-55	55W		5830 lm			
DULED-6102-60	60W		6360 lm			
DULED-6102-75	75W		7950 lm			

## DULED-6107





Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6107-20	20W	SMD LEDs	2320 lm	116 lm/W	3000K	>80
DULED-6107-30	30W		3480 lm		4000K	
DULED-6107-40	40W		4640 lm		6500K	
DULED-6107-55	55W		6380 lm			

## DULED-6109





Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6109-35	35W	SMD LEDs	3710 lm	106 lm/W	3000K	>80
DULED-6109-45	45W		4770 lm			
DULED-6109-55	55W		5830 lm			
DULED-6109-60	60W		6360 lm			
DULED-6109-75	75W		7950 lm			

## DULED-6135





Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6135-35	35W	SMD LEDs	4200 lm	120 lm/W	3000K	>80
DULED-6135-45	45W		5400 lm			
DULED-6135-55	55W		6600 lm			
DULED-6135-60	60W		7200 lm			
DULED-6135-75	75W		9000 lm			

## DULED-6307





Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6307-30	30W	SMD LEDs	3000 lm	100 lm/W	3000K 4000K 6500K	>80

## DULED-6308



Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DULED-6308-20	20W	SMD LEDs	2320 lm	116 lm/W	3000K	>80
DULED-6308-30	30W		3480 lm		4000K	
DULED-6308-40	40W		4640 lm		6500K	
DULED-6308-55	55W		6380 lm			

**DULED-6309**



Model	Power [ W ]	LED type	Luminous flux [ lm ]	Luminous efficacy [lm/W]	CCT [ K ]	CRI [ Ra ]
DULED-6309-45	45W	SMD LEDs	5050 lm	112 lm/W	3000K	>80
DULED-6309-60	60W		6600 lm	110 lm/W	6500K	

