



Tunable Series



Product Features

- High brightness and lumen efficiency
- Great linear effect
- Flexible and cuttable, can be mounted on cove surface
- Long service life with excellent lumen maintenance
- Cuttable to satisfy different application requirements
- 0-1/10V dimming, DALI dimming, smart (optional)

Applications



Shopping Malls



Hotels



Entertainment Decorations

DU-T-2110-280-24-14.4-8mm



Lumen Output/Meter	470 lm/m	670 lm/m
Power/Meter	7.2W/m	7.2W/m
Color Rendering Index	>80	
Voltage Input:	24Vdc	
IP rating:	IP20/IP65/IP67	
Size:	5000x8mm	
LEDs/Meter	280pcs/m	
Cutting Unit:	50mm	

DU-T-4040A-120-24-RGB



Lumen Output/Meter	211 lm/m	384 lm/m	87 lm/m	614 lm/m
Power/Meter	6.4W/m	6.4W/m	6.4W/m	19.2W/m
Color Rendering Index	>80			
Voltage Input:	24Vdc			
IP rating:	IP20/IP65/IP67			
Size:	5000x8mm			
LEDs/Meter	120pcs/m			
Cutting Unit:	50mm			

DU-S5050-72-24-RGBWW



Lumen Output/Meter	240 lm/m	291 lm/m	102 lm/m	218 lm/m	49 lm/m
Power/Meter	3W/m	3.6W/m	1.2W/m	2.7W/m	0.6W/m
Color Rendering Index	>80				
Voltage Input:	24Vdc				
IP rating:	IP20				
Size:	5000x14mm				
LEDs/Meter	72pcs/m				
Cutting Unit:	83mm				

DU-S5050-60-24-RGBWW



Lumen Output/Meter	193 lm/m	231 lm/m	82 lm/m	175 lm/m	39 lm/m
Power/Meter	2.4W/m	2.88W/m	1.02W/m	2.18W/m	0.48W/m
Color Rendering Index	>80				
Voltage Input:	24Vdc				
IP rating:	IP20				
Size:	5000x12mm				
LEDs/Meter	60pcs/m				
Cutting Unit:	100mm				

