




LED STRIP

LED STRIP : An LED strip light is a flexible circuit board that is populated with LEDs that you can stick almost anywhere you want to add powerful lighting in a variety of colors and brightnesses.





Input Voltage Direct Voltage (DC 12V)



Input Voltage Direct Voltage (DC 24V)



Input Voltage Alternating Voltage (DC 24V)



surface-mounted device LEDs (SMD LEDs)



(chip on board)



IP RATE : A way of showing the effectiveness of electrical enclosures in blocking foreign bodies such as dust, moisture, liquids, and accidental contact



The Base of LED strip width, typically measured in millimeters, refers to the physical dimension of the strip from one edge to the other, with common widths ranging from 5mm to 20mm.



The type of LED Chip



Color Rendering Index (CRI) is a measurement of how natural colors render under an artificial white light source when compared with sunlight.



allowing for customizable lighting levels or adjusting its brightness to suit different preferences.



Our strips can be cut every few Centimeter, meaning you can easily customize the strip to fit your space.



Our strips can be cut every few Centimeter, meaning you can easily customize the strip to fit your space.



Peel & Stick The back of the strip is fitted with a strong 3M brand adhesive tape, allowing you to peel and stick lights to many different surfaces.



What Can LED Strips Do?

Our LED strip lights and accessories provide beautiful lighting solutions for a wide range of projects and applications.

Residential Applications -



Commercial Applications



Restaurant and Bars



Signage Lighting



Display / Merchandise



Hotel and Resort

Specialty Applications



Events and Stages




Terrarium Lighting



Ultraviolet (UV)




Art Displays




	LVS-220V-144L	LVS-220V-240L
Power:	7-8W	10-12 W
Array:	Single Line	Double Line
Color temp:	3000-6500	3000-6500
FPC:	8 mm	12 mm
Input Voltage:	AC220V	AC220V
IP Rate:	IP65	IP65
CRI:	>80	>80
Led QTY:	144 Led/m	240 Led/m
Chip:	2835	2835
Length\Roll:	50 - 100 m	50 - 100 m













Bridges





Application



Facade lighting

theaters

stairs


Emergency lighting, road marking


commercial light and shop windows







	LVS-220V-276L	LVS-220V-360L
Power:	12-14 W	14-16 W
Array:	Triple Line	Triple Line
Color temp:	3000-6500	3000-6500
FPC:	15mm	15mm
Input Voltage:	AC220V	AC220V
IP Rate:	IP65	IP65
CRI:	>80	>80
Led QTY:	276 Led/m	360 Led/m
Chip:	2835	2835
Length\Roll:	50 - 100 m	50 - 100 m


















- - Facade lighting
- theaters
- Emergency lighting, road marking
- commercial light and shop windows

Bridges