



Bello Beco D

BULKHEADS



Description

Bello Beco D, LED Bulkhead, uses SMD LEDs for outdoor applications. Housing is made of Die-Cast Aluminum material. Luminaire uses Opal PC diffuser, which provides uniform light.

Product Features

- SMD LEDs
- Available in different housing colors
- Installation: Surface/Wall Mounted
- Working Temperature: -20°C to 50°C
- 0-1/10V dimming, DALI dimming, emergency (optional)
- IP rating: IP65
- IK rating: IK10
- Lifespan: 50,000 hours

Electrical Specifications

- Rated Supply Voltage: 220-240V
- Frequency: 50/60Hz

Applications



Corridor



Balcony



Staircase



DUBEBD401



DUBEBD501



DUBEBDSQ504





DUBEBD505



DUBEBD506

Technical Drawing and Dimensions



Model	Diameter	Height
DUBEBD101-15	Φ275mm	80mm
DUBEBD102-20	Φ275mm	80mm
DUBEBD103-30	Φ360mm	110mm
DUBEBDG104-20	Φ275mm	80mm
DUBEBDG105-20	Φ275mm	80mm
DUBEBD301-20	Φ300mm	85mm
DUBEBD302-30	Φ300mm	85mm
DUBEBD303-40	Φ300mm	85mm
DUBEBD401-15	Φ275mm	80mm
DUBEBD402-20	Φ275mm	80mm
DUBEBD403-30	Φ360mm	110mm

Model	Length	Width	Height
DUBEBD201-10	220mm	135mm	65mm
DUBEBD202-20	280mm	180mm	83mm
DUBEBDG203-10	220mm	135mm	70mm
DUBEBD501-20	300mm	300mm	90mm
DUBEBD502-30	300mm	300mm	90mm
DUBEBD503-40	300mm	300mm	90mm
DUBEBDSQ504-18	215mm	215mm	85mm
DUBEBD505-20	250mm	125mm	110mm
DUBEBD506-20	280mm	180mm	75mm

Technical Specifications

Model	Power [W]	LED type	Luminous flux [lm]	Luminous efficacy [lm/W]	CCT [K]	CRI [Ra]
DUBEED101-15	15W	SMD LEDs	1350 lm	90 lm/W	3000K 4000K 6500K	>80
DUBEED102-20	20W		1800 lm			
DUBEED103-30	30W		2700 lm			
DUBEEDG104-20	20W		1800 lm			
DUBEEDG105-20	20W		1800 lm			
DUBEED201-10	10W		900 lm			
DUBEED202-20	20W		1800 lm			
DUBEEDG203-10	10W		900 lm			
DUBEED301-20	20W		1800 lm			
DUBEED302-30	30W		2700 lm			
DUBEED303-40	40W		3600 lm			
DUBEED401-15	15W		1350 lm			
DUBEED402-20	20W		1800 lm			
DUBEED403-30	30W		2700 lm			
DUBEED501-20	20W		1800 lm			
DUBEED502-30	30W		2700 lm			
DUBEED503-40	40W		3600 lm			
DUBEEDSQ504-18	18W		1620 lm			
DUBEED505-20	20W		1800 lm			
DUBEED506-20	20W		1800 lm			