

Estilo Mini



Estilo Mini LED Spotlight uses BRIDGELUX COB LED and Dulight LED Driver for indoor application. Housing is made of Die-Cast Aluminum.

Product Features:

- BRIDGELUX COB LED
- DuLight LED Driver
- Installation: Surface / Recessed Mounted
- IP rating: IP20
- Life-span: 30,000 hours

Applications:



Cafes and Restaurants



Showrooms



Retail Shops



Model: DUES06-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 45mm
Cut-out: 33mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES07-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 50mm
Cut-out: 36mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES08-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White / Gold / Black
Diameter: 35mm
Cut-out: 27mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES09-01

Recessed Mounted


Power: 1W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 35mm
Cut-out: 27mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES10-01

Recessed Mounted


Power: 1W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 42mm
Cut-out: 32mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES11-01

Recessed Mounted

Power: 1 W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 38mm
Cut-out: 30mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES12-05

Surface Mounted

Power: 5W
Housing: Die-casted Aluminium
Housing Color: White / Gold / Black
Diameter: 74mm
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES13-01

Recessed Mounted


Power: 1W
Housing: Die-casted Aluminium
Housing Color: White / Gold / Black
Diameter: 50mm
Cut-out: 32mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES14-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 72mm
Cut-out: 64mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES15-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: White / Gold / Black

Diameter: 49mm

Cut-out: 38mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES16-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium


Housing Color: Gold / Wooden

Diameter: 51mm

Cut-out: 49mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES17-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: White

Diameter: 50mm

Cut-out: 36mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES18-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: White / White with Black Reflector

Diameter: 40mm

Cut-out: 31mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES19-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: Silver

Diameter: 37mm

Cut-out: 28mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES20-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: Wooden

Diameter: 49mm

Cut-out: 31mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES21-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: Black

Diameter: 54mm

Cut-out: 42mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES22-03

Recessed Mounted

Power: 3W

Housing: Die-casted Aluminium

Housing Color: White

Diameter: 54mm

Cut-out: 41mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES23-01

Recessed Mounted

Power: 1W

Housing: Die-casted Aluminium

Housing Color: Silver

Diameter: 36mm

Cut-out: 29mm

CCT: 3000K / 4000K / 6500K

IP Rating: IP20



Model: DUES24-03

Surface Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: Silver / Black
Diameter: N / A
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES25-01

Surface Mounted

Power: 1W
Housing: Die-casted Aluminium
Housing Color: Silver
Diameter: N / A
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES26-01

Surface Mounted

Power: 1W
Housing: Die-casted Aluminium
Housing Color: Silver
Diameter: N / A
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES27-01

Recessed Mounted

Power: 1W
Housing: Die-casted Aluminium
Housing Color: Black
Diameter: 33mm
Cut-out: 20mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES28-01

Recessed Mounted

Power: 1W
Housing: Die-casted Aluminium
Housing Color: Silver
Diameter: 47mm
Cut-out: 37mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES29-01

Recessed Mounted

Power: 1W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 55mm
Cut-out: 31mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES30-01

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 54.5mm
Cut-out: 42mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES31-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 52mm
Cut-out: 40mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model: DUES32-03

Surface Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 40mm
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES33-03

Recessed Mounted


Power: 3W
Housing: Die-casted Aluminium
Housing Color: Gold
Diameter: 44mm
Cut-out: 31mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES34-01

Recessed Mounted


Power: 1W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 35mm
Cut-out: 27mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES35-03

Recessed Mounted


Power: 3W
Housing: Die-casted Aluminium
Housing Color: Gold
Diameter: 44mm
Cut-out: 31mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES36-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: Gold and Silver
Diameter: 50*50mm
Cut-out: 37mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES37-03

Surface Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: N / A
Cut-out: N / A
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES38-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: White
Diameter: 49.5mm
Cut-out: 40mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20



Model:DUES39-03

Recessed Mounted

Power: 3W
Housing: Die-casted Aluminium
Housing Color: Silver
Diameter: 44mm
Cut-out: 31.5mm
CCT: 3000K / 4000K / 6500K
IP Rating: IP20