Nice Appearance and Safety Design for
Floor Management

# FLOOR OUTLET SERIES

POP-UP FLOOR OUTLET IP-44

DU5983LT9-1
Grounding Duplex Universal with Safety
Shutter with Outlet Box and Box Protector
16A 250V~

DU5993LT9-1
Grounding Duplex Universal
with Outlet Box and Box Protector
16A 250V~

DU5990LT9-1
Grounding Duplex Universal
with Outlet Box and Box Protector
16A 250V~

DU6993LT9-1
Duplex Telephone Modular Jack 6P4C
with Outlet Box and Box Protector

DU6935LT9-1
Telephone Modular Jack 6P 4C and
CAT5E Modular Jack with Outlet Box
and Box Protector

DU6955LT9-1
Duplex CAT5E Modular Jack with
Outlet Box and Box Protector

DU59833LT9-1
Grounding Universal with Safety Shutter 16A 250V~
and Telephone Modular Jack 6P4C
with Outlet Box and Box Protector

DU59835LT9-1
Grounding Universal with Safety Shutter 16A 250V~
and CAT5E Modular Jack
with Outlet Box and Box Protector

DU6966LT9-1
Duplex CAT6 Modular Jack
with Outlet Box and Box Protector

FLOOR OUTLET (Aluminum Diecast) IP-44

DUF1260LTK-1
Grounding Duplex Universal with Safety
Shutter with Outlet Box and Box Protector
16A 250~

DUF1270LTK-1
Grounding Duplex Universal
with Outlet Box and Box Protector
16A 250~

DUF3221LTK-1
Grounding Universal with Safety Shutter
16A 250~ and Telephone Modular Jack
6P4C with Outlet Box and Box Protector

DUF1200LTK-1
Blank with Outlet Box and Box Protector
This Floor Outlet can be supplied without Socket

DUF2229LTK-1
Duplex Telephone Modular Jack 6P4C
with Outlet Box and Box Protector

DUF2214LTK-1
Telephone Modular Jack 6P4C and
CAT5E Modular Jack with Outlet Box
and Box Protector

DUMF3200LT-1
Double Duplex without Inside
Wiring Devices for Full Color WIDE Series

DUF3234LTK-1
Grounding Universal with Safety Shutter 16A 250V~
And CAT5E Modular Jack with box Protector and Outlet Box

DUF5200LT-1
Floor Outlet blank (without socket outlet)
With cover unit and outlet box

DUF2259LTK-1
Duplex CAT5E Modular Jack
with Outlet Box and Box Protector

*Installed Receptacles have Full Color Wide Series

Safety
Safety constructed
conforming to the
IEC 60884-1

IP ④ ④ — This product conforms the water and dust protection level IP44
(IEC60529) by the cover are closed.
Harmful ingress of water ; Level 4 Protection against liquid spills (No
damage by water splash from any direction)
Harmful ingress of solid obstacles ; Level4
Protection against substance bigger than 1.0mm. (Hard to enter
substances such as cable, cloth, paper, board pieces)

FLOOR OUTLET SINGLE IP-24

DU8102HTC-1
Grounding Universal with Safety
Shutter with Cover Unit
16A 250~

DU8100HTC-1
Grounding Duplex Universal
with Cover Unit
16A 250V~

DU5102HTC-1
Grounding Single Parallel
with Cover Unit
16A 250~

FLOOR OUTLET

DU61233HTC-1
Duplex Telephone Modular
Jack 6P4C Cover Unit

DU61223HTC-1
Telephone Modular Jack 6P4C
and TV Terminal Cover Unit

DU7199HTC-1*
GFloor Outlet Blank for Double Device
with Cover Unit

FLOOR OUTLET DUPLEX /IP-24

DU8183HTK-1-1
Grounding Duplex Universal with
Safety Shutter with Outlex Box and Box Protector
16A 250~

DU81931HTK-1
Grounding Duplex Universal
with Outlex Box and Box Protector
16A 250~

DU5103HTK-1
Grounding Duplex Parallel
with Outlex Box and Box Protector
16A 250~

DU81835HTK-1
Grounding Universal with Safety
Shutter and CAT5E Modular Jack
with Outlex Box and Box Protector
16A 250~

DU61233HTK-1
Duplex Telephone Modular Jack
6P4C with Outlex Box and Box Protector
16A 250~

DU61235HTK-1
Telephone Modular Jack 6P4C and
CAT5E Modular Jack with
Outlex Box and Box Protector

DU61355HTK-1
Duplex CAT5E Modular Jack with
Outlex Box and Box Protector

DU61466HTK-1
Duplex CAT6 Modular Jack
with Outlex Box and Box Protector

DU8199HTK-1*
Floor Outlex, Blank for Triple Device
with Cover Unit

How to mount

After putting the concrete on, make the hole to install the product.

(1) Hammer the center part of where the box is installed and make the hole for installation.

(2) After chipping the concrete away, loosen cover unit screws and take the box protector off.

Hammer

Chip

Concrete

Box Protector Screws

Box Protector

Setting Screws

Pop-Up Floor Outlet Duplex

Outlet box

Pop-up floor outlet duplex dimension

130.0

130.0

7.6

(55.2)

54.0

15.0

100.0

(Unit: mm)

Floor outlet (Aluminum Diecast) dimension

130.0

130.0

(87.4)

15.0

54.0

4.0

(27.8)

100.0

(Unit: mm)

Floor outlet single dimension

Ø114.0

71.6

51.8

60.0

66.7

3.7

12.3

51.0

34.4

Floor outlet duplex dimension

Ø134.0

94.5

51.8

60.0

76.8

4.1

10.0

54.0

45.0