



PARATHOM Retrofit CLASSIC A - LED lamps with filament-style LED technology

Product name GTIN (EAN)

W
lm
K
Ra
1
2
3
No.

PARATHOM Retrofit CLASSIC A DIM – dimmable ¹ , 60W-Replacement/40W-Replacement/75W-Replacement/100W-Replacement													IP20	5
P CLAS A 60 7 W/2700K B22d	4058075287440	60	B22d	7	806	2700	≥80	✓	60	15000	A++	1		
P CLAS A 60 7 W/2700K B22d	4058075287464	60	B22d	7	806	2700	≥80	✓	60	15000	A++	2		
P CLAS A 40 CL 4.5 W/2700K E27	4058075287303	40	E27	4.5	470	2700	≥80	✓	60	15000	A++	4		
P CLAS A 40 FR 4.5 W/2700K E27	4058075287327	40	E27	4.5	470	2700	≥80	✓	60	15000	A++	5		
P CLAS A 60 CL 7 W/2700K E27	4058075287389	60	E27	7	806	2700	≥80	✓	60	15000	A++	3		
P CLAS A 60 7 W/2700K E27	4058075287402	60	E27	7	806	2700	≥80	✓	60	15000	A++	5		
P CLAS A 75 8.5 W/4000K E27	4058075287624	75	E27	8.5	1055	4000	≥80	✓	60	15000	A++	5		

PARATHOM Retrofit CLASSIC A – 40W-Replacement/60W-Replacement/75W-Replacement/100W-Replacement/150W-Replacement													IP20	4
P RF CLAS A 40 4 W/2700K E27	4052899961722	40	E27	4	470	2700	≥80	-	60	15000	A++	4		
P CLAS A 40 4 W/2700K E27	4058075817135	40	E27	4	470	2700	≥80	-	60	15000	A++	8		
P CLAS A 60 7 W/2700K E27	4058075817234	60	E27	7	806	2700	≥80	-	60	15000	A++	8		
P RF CLAS A 60 7 W/2700K E27	4052899961654	60	E27	7	806	2700	≥80	-	60	15000	A++	3		
P CLAS A 75 7.5 W/2700K E27	4058075287501	75	E27	7.5	1055	2700	≥80	-	60	15000	A++	6		
P CLAS A 75 8 W/2700K E27	4058075287525	75	E27	7.5	1055	2700	≥80	-	60	15000	A++	8		
P CLAS A 100 11 W/2700K E27	4058075287228	100	E27	11	1521	2700	≥80	-	60	10000	A++	7		

- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp
- Very low energy consumption
- Robust against vibrations
- No UV and near-IR radiation in the light beam

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



PARATHOM Retrofit CLASSIC B - LED lamps with filament-style LED technology

Product name	GTIN (EAN)	W	Im	K	Ra	¹	²	³	⁴	
PARATHOM Retrofit CLASSIC B DIM – dimmable¹, 40W-Replacement/60W-Replacement										
P CLAS B 40 FR 4.5 W/2700K B22d	4058075287884	40	B22d	4.5	470	2700	≥80	✓	35 15000 A++	IP20 5 year guarantee
P CLAS B 40 4.5 W/2700K E14	4058075287822	40	E14	4.5	470	2700	≥80	✓	35 15000 A++	IP20 5 year guarantee
P CLAS B 40 CL 4.5 W/2700K E27	4058075287860	40	E27	4.5	470	2700	≥80	✓	35 15000 A++	IP20 5 year guarantee
PARATHOM Retrofit CLASSIC B – 25W-Replacement/40W-Replacement/60W-Replacement										
P RF CLAS B 25 2.8 W/2700K E14	4058075287648	25	E14	2.5	250	2700	≥80	-	35 15000 A++	IP20 4 year guarantee
P RF CLAS B 25 FR 2.5 W/2700K E14	4058075287662	25	E14	2.5	250	2700	≥80	-	35 15000 A++	IP20 4 year guarantee
P CLAS B 40 4 W/2700K E14	4058075287747	40	E14	4	470	2700	≥80	-	35 15000 A++	IP20 4 year guarantee
P CLAS B 40 4 W/2700K E14	4058075287785	40	E14	4	470	2700	≥80	-	35 15000 A++	IP20 4 year guarantee

- Design, dimensions, luminous flux comparable to an incandescent lamp
- Very low energy consumption
- Robust against vibrations
- Instant 100 % light, no warm-up time

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



PARATHOM Retrofit CLASSIC P - LED lamps with filament-style LED technology

Product name GTIN (EAN)

W_{max}
W
lm
K
Ra
1
2
3
No.

PARATHOM Retrofit CLASSIC P DIM – dimmable ¹ , 40W-Replacement/25W-Replacement/60W-Replacement													IP 20	5
P CLAS P 40 4.5 W/2700K B22d	4058075288225	40	B22d	4.5	470	2700	≥80	✓	45	15000	A++	1		
P CLAS P 40 4.5 W/2700K E14	4058075288126	40	E14	4.5	470	2700	≥80	✓	45	15000	A++	2		
P CLAS P 25 2.8 W/2700K E27	4058075288508	25	E27	2.8	250	2700	≥80	✓	45	15000	A++	3		
P CLAS P 40 FR 4.5 W/2700K E27	4058075288201	40	E27	4.5	470	2700	≥80	✓	45	15000	A++	5		
P CLAS P 60 7 W/4000K E27	4058075287426	60	E27	7	806	4000	≥80	✓	60	15000	A++	6		

PARATHOM Retrofit CLASSIC P – 40W-Replacement/25W-Replacement/60W-Replacement/15W-Replacement													IP 20	4
P CLAS P 25 2.5 W/2700K E14	4058075287969	25	E14	2.5	250	2700	≥80	-	45	15000	A++	8		
P RF CLAS P 40 4 W/2700K E14	4058075288089	40	E14	4	470	2700	≥80	-	45	15000	A++	7		
P CLAS P 60 7 W/2700K E27	4058075288560	60	E27	7	806	2700	≥80	-	45	15000	A++	4		

- Design, dimensions, luminous flux comparable to an incandescent lamp
- Very low energy consumption
- Robust against vibrations
- Lamps with innovative LED „filament“ technology

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



1

2

PARATHOM Retrofit CLASSIC GLOBE - LED lamps with filament-style LED technology

Product name	GTIN (EAN)	W _{LED}	W _{inc}	W	lm	K	Ra	1	2	3	4	5	6
PARATHOM Retrofit CLASSIC GLOBE – 25W-Replacement/40W-Replacement/60W-Replacement/100W-Replacement													
P RF GLOBE 25 2.5 W/2700K E27	4058075288263	25	E27	2.5	250	2700	≥80	-	125	15000	A+	1	
P RF GLOBE 40 4 W/2700K E27	4058075288287	40	E27	4	470	2700	≥80	-	124	15000	A++	2	
P RF GLOBE 60 6.5 W/2700K E27	4058075288300	60	E27	6.5	806	2700	≥80	-	124	15000	A++	2	

- Lamps with innovative LED „filament“ technology
- Very low energy consumption
- Can be easily fitted instead of ordinary light bulbs
- Instant 100 % light, no warm-up time

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



1

PARATHOM Retrofit CLASSIC ST - LED lamps with filament-style LED technology

Product name	GTIN (EAN)	W	W	lm	K	Ra	Ø (mm)	t ₉₀ ¹	IP ₂₀ ²	Energy efficiency class	No.
LED Retrofit CLASSIC ST – 40W-Replacement/60W-Replacement											
LEDISON CLAS ST 40 4.5 W/2700K E27	4058075287167	40	E27	4.5	470	2700	≥80	64	15000	A++	1
LEDISON CLAS ST 60 7 W/2700K E27	4058075287181	60	E27	7	806	2700	≥80	64	15000	A++	1

- Lamps with innovative LED „filament“ technology
- Very low energy consumption
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs

¹ L70/B50 | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



Vintage 1906 LED - LED lamps, vintage edition

Product name	GTIN (EAN)	W _{LED}	W	lm	K	Ra	1	2	3	Light No.		
Vintage 1906 LED – dimmable¹, 12W-Replacement/25W-Replacement/28W-Replacement/55W-Replacement												
1906 LED GLOBE 12 5 W/1800K E27	4058075270046	12	E27	5	110	1800	≥80	✓	200	15000	A	1
1906 LED CLAS A 12 5 W/1800K E27	4058075270022	12	E27	5	110	1800	≥80	✓	160	15000	A	2
RF1906 CLAS ST 25 4.5 W/2000K E27	4058075269965	25	E27	4.5	250	2000	≥80	✓	64	15000	A	3
RF1906 GLOBE 25 4.5 W/2000K E27	4058075270008	25	E27	4.5	250	2000	≥80	✓	125	15000	A	4
1906 LED CLAS A 28 5 W/2000K E27	4058075269705	28	E27	5	300	2000	≥80	✓	160	15000	A+	5
1906 LED GLOBE 28 5 W/2000K E27	4058075269729	28	E27	5	300	2000	≥80	✓	200	15000	A+	6

- Very low energy consumption
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs
- Lamps with innovative LED „filament“ technology

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



Vintage 1906 LED - LED lamps, vintage edition

Product name	GTIN (EAN)	W _{LED}	W	lm	K	Ra	1	2	3	No.
--------------	------------	------------------	---	----	---	----	---	---	---	-----

Vintage 1906 LED – dimmable ¹ , 12W-/15W-/20W-/22W-/25W-/28W-/35W-/36W-/37W-/40W-/52W-/55W-/68W-Replacement											IP 20	
1906 LED GLOBE 12 5 W/1800K E27	4058075269927	12	E27	5	110	1800	≥80	-	200	15000	A	1
1906 LED CLAS A 12 5 W/1800K E27	4058075269903	12	E27	5	110	1800	≥80	-	160	15000	A	2
RF1906 CLAS ST 15 5 W/1800K E27	4058075269941	15	E27	5	140	1800	≥80	-	64	15000	A	3
RF1906 GLOBE 15 5 W/1800K E27	4058075269989	15	E27	5	140	1800	≥80	-	125	15000	A	4
RF1906 GLOBE 36 4.5 W/2500K E27	4058075269828	36	E27	4.5	420	2500	≥80	-	95	15000	A+	5

- Very low energy consumption
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs
- Lamps with innovative LED „filament“ technology

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency)



PARATHOM CLASSIC A - LED lamps with classic bulbs

Product name	GTIN (EAN)	W _{LED}	W	lm	K	Ra	1	2	3	No.
--------------	------------	------------------	---	----	---	----	---	---	---	-----

PARATHOM CLASSIC A DIM – dimmable ¹ , 60W-Replacement/75W-Replacement/100W-Replacement/150W-Replacement											IP20	
P CLAS A 60 8.8 W/2700K E27	4058075292550	60	E27	8.8	806	2700	≥80	✓	60	25000	A+	1
P CLAS A 75 FR 11 W/2700K E27	4058075292574	75	E27	11	1055	2700	≥80	✓	60	25000	A+	2
P CLAS A 100 13 W/2700K E27	4058075292598	100	E27	13	1521	2700	≥80	✓	60	25000	A+	3
P CLAS A 150 21 W/2700K E27	4058075292611	150	E27	21	2452	2700	≥80	✓	67	25000	A+	4

PARATHOM CLASSIC A – 60W-Replacement/40W-Replacement/75W-Replacement/100W-Replacement/150W-Replacement											IP20	
P CLAS A 40 5.5 W/2700K E27	4058075292277	40	E27	5.5	470	2700	≥80	-	60	15000	A+	6
P CLAS A 40 5.5 W/4000K E27	4058075292246	40	E27	5.5	470	4000	≥80	-	60	15000	A+	6
P CLAS A 60 FR 8.5 W/2700K E27	4058075291966	60	E27	8.5	806	2700	≥80	-	60	15000	A+	1
P CLAS A 60 8.5 W/4000K E27	4058075292291	60	E27	8.5	806	4000	≥80	-	60	15000	A+	1
P CLAS A 75 11 W/2700K E27	4058075292024	75	E27	11	1055	2700	≥80	-	60	15000	A+	2
P CLAS A 75 11 W/4000K E27	4058075292048	75	E27	11	1055	4000	≥80	-	60	15000	A+	2
P CLAS A 150 19 W/2700K E27	4058075292536	150	E27	19	2451	2700	≥80	-	68	15000	A++	4

- Very long lifetime of up to 25,000 h
- Low energy consumption
- High color consistency thanks to narrow binning
- Easy replacement of classic lamps thanks to compact design

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency)



1

PARATHOM CLASSIC B - LED lamps with classic bulbs

Product name	GTIN (EAN)	W	W	lm	K	Ra	1	2	3	4	5	6
PARATHOM CLASSIC B DIM – dimmable¹, 40W-Replacement												
P CLAS B 40 5 W/2700K E14	4058075292215	40	E14	5	470	2700	≥80	✓	35	25000	A+	1
PARATHOM CLASSIC B – 40W-Replacement												
P CLAS B 40 5 W/2700K E14	4058075292338	40	E14	5	470	2700	≥80	-	35	15000	A+	1

- Very long lifetime of up to 25,000 h
- Low energy consumption
- High color consistency thanks to narrow binning
- Easy replacement of classic lamps thanks to compact design

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



PARATHOM CLASSIC P - LED lamps with classic bulbs

Product name	GTIN (EAN)	wΔW	⏏	W	lm	K	Ra	1	∅ _d (mm)	t[h]	3	4
PARATHOM CLASSIC P DIM – dimmable¹, 40W-Replacement												IP 20 5 year guarantee
P CLAS P 40 FR 5 W/2700K E14	4058075292352	40	E14	5	470	2700	≥80	✓	45	25000	A+	1
PARATHOM CLASSIC P – 40W-Replacement												IP 20 4 year guarantee
P CLAS P 40 5 W/2700K E14	4058075291997	40	E14	5	470	2700	≥80	-	27	15000	A+	1

- Very long lifetime of up to 25,000 h
- Low energy consumption
- High color consistency thanks to narrow binning
- Easy replacement of classic lamps thanks to compact design

PARATHOM STICK - LED lamps, classic stick shape

Product name	GTIN (EAN)	wΔW	⏏	W	lm	K	Ra	1	∅ _d (mm)	t[h]	3	4
PARATHOM STICK – 60W-Replacement/75W-Replacement												IP 20 4 year guarantee
P STICK 60 FR 8 W/2700K E27	4058075292635	60	E27	8	806	2700	≥80		40.4	15000	A+	2

- Low energy consumption
- Attractive lamp appearance

¹ LED lamps can be operated with a wide variety of commercially available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there | ² L70/B50 | ³ Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ⁴ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee



1

LED VALUE CLASSIC A - LED lamps, classic bulb shape

Product name	GTIN (EAN)	wΔW	W	lm	K	Ra	Ø (mm)	t(h) ¹	IP ²	No. ³	
LED VALUE CLASSIC A – 40W-Replacement/60W-Replacement/75W-Replacement/100W-Replacement									IP 20	2	
LED VALUE CLAS A 60 FR 8.5 W/2700K E27	4052899326842	60	E27	9.5	806	2700	≥80	60	10000	A+	1

- Very low energy consumption
- Shockproof and vibration-proof thanks to LED technology
- No UV radiation in the light beam
- Instant 100 % light, no warm-up time

¹ L70/B50 | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ You will find further information and the exact guarantee terms and conditions at www.ledvance.com/guarantee